Impact Assessment of Zero Budget Natural Farming in Andhra Pradesh – Kharif 2018-19

A comprehensive Approach using Crop Cutting Experiments

S. Galab

P. Prudhvikar Reddy

D. Sree Rama Raju

C. Ravi

A. Rajani



Tel:040-23402789, Fax: 040-23406808

E-mail: postmaster@cess.ac.in, Website: www.cess.ac.in
August 2019

	No
Acknowledgments	vi
Executive Summary	viii
CHAPTER 1	
Context, Objectives and Methodology	
1.0 Context	1
1.1 Research Questions	2
1.2 The Scope of the Study	2
1.3 The Methodology	3
1.3.1 The Basic Approach	3
1.3.2 The Sample Design	4
1.3.3 The Data Gathering	6
1.3.4 The Data Management	7
1.4 Structure of the Report	9
CHAPTER 2	
Impact of Zero Budget Natural Farming on Input use, Costs, Yields of Crops and Returns to Farmers	
2.0 Introduction	10
2.1 Research Questions	10
2.2 The Approach	10
2.3 The analysis	12
2.3.1 Input use and Cost of Cultivation of Paddy Crop	12
2.3.2 Input use, Yield, and Income to Farmers	17
2.4 Cost of Biological (ZBNF) and Chemical Inputs (Non-ZBNF) for Maize, Groundnut, Cotton, Tomato and Bengal Gram	21
2.4.1 Cost of Biological (ZBNF) and Chemical Inputs (non-ZBNF) in paid-out cost of Production for Maize, Groundnut, Cotton, Tomato and Bengal Gram crops	22
2.4.2 Cost of Production under ZBNF and non-ZBNF Practices for Maize, Groundnut, Cotton, Tomato and Bengal Gram	23
2.4.3 Input use, Yields and Income of Farmers	24
2.5 Per Farmer Net Income from Mixed crops, Border and Bund Crops	28

CHAPTER 3

Impact of ZBNF on Farming and Farming Community beyond Costs and Returns	
3.0 Introduction	30
3.1 Research Questions	30
3.2 The approach	30
3.3 The Analysis	31
3.3.1 ZBNF practices to ensure regular income to Farmers	31
3.3.3 Market channels of farmers to obtain higher prices for ZBNF crop outputs	32
3.3.2 Constraints for spreading the use of ZBNF inputs	33
3.3.4 Other Benefits Accrued to Farming and Farming Community	35
CHAPTER 4	
Summary, Conclusions and Policy Implications	
4.1 Context	41
4. 2. Research Questions	41
4. 3. The Methodology	42
4. 3.1 The Basic Approach	42
4. 3.2 Parameters considered for assessing impact of ZBNF	42
4. 3.3 Sample Design	43
4. 3.4 Data Base	43
4. 4. Major Finding	44
LIST OF TABLES	
Table 1. Three Major Crops grown by ZBNF farmers during 2017-18	4
Table 2.1 Distribution of Sample farmers across the Districts in Kharif season during 2018-19	11
Table 2.2 Impact of Biological Inputs of ZBNF on Chemical Inputs of Non-ZBNF per Acre of Paddy across Districts	13
Table 2.3 Composition of Inputs in Total Cost per Acre of Paddy cultivation under ZBNF and non-ZBNF	14
Table 2.4 Paid out Cost of Paddy crop under ZBNF and non-ZBNF across Districts (In rupees per acre)	16
Table 2.5 Per Acre Yields of Paddy under ZBNF and Non-ZBNF Methods across Districts	18
Table 2.6 District wise Yield of paddy under ZBNF and Non-ZBNF (Yield per acre in Quintals)	19

Paddy (In rupees)	20
Table 2.8 District wise cost incurred on inputs per Acre under ZBNF and non-ZBNF for Maize, Groundnut, Cotton, Tomato and Bengal Gram	22
Table 2.9 Percentage of Biological and Chemical inputs in Cost of Production under ZBNF and non-ZBNF for Maize, Groundnut, Cotton, Tomato and Bengal Gram Crops	23
2.10 Cost of Production of Crops under ZBNF and non-ZBNF (Costs in Rupees)	24
Table 2.11 Crop wise Yields under ZBNF and ZBNF (Quintals per acre)	25
Table 2.12: Net Income per acre of Crop cultivation in Andhra Pradesh (Rs)	26
Table 2.13 Crop wise Increase in the Net Incomes to farmers per acre due to ZBNF	26
Table 2.14: Net Income from Mixed Crops, Border Crops and Bund Crops (Rs)	29
Table 3.1 Farmers Perception on the Consumption of Fertilizer in their Village due to ZBNF (%)	37
Table 3.2 ZBNF Farmers Reporting enhanced quality of their land due to ZBNF (%)	38
Table 3.3 District wise farmers reporting that ZBNF practices enhanced quality of land (%)	38
Table 3.4 District wise farmers reporting the quality of ZBNF Crops and Output compared to Non-ZBNF Crop (%)	39
Table 3.5 Farmers reporting their Experience on the Taste of Crop Output of food crops Produced under ZBNF compared to non-ZBNF crops across the districts (%)	39
Table 3.6 District wise Distribution of Farmers Reporting Resilience of the Crops to Weather Variability with the ZBNF crops compared to non-ZBNF crops (%)	40
Table 3.7Distribution of Farmers According to Sources of Working Capital for the Agriculture Operations of ZBNF and Non-ZBNF (%)	40
Table 3.8 Status of agriculture in the rural Areas	40
LIST OF FIGURES	
Figure 2.1: Cost of Biological Inputs of ZBNF and Chemical Inputs of Non-ZBNF per acre of Paddy across Districts (In rupees)	13
Figure 2.2 Paidout cost/acre cultivation of Paddy by source of irrigation (in Rs.)	16
Figure 2.3 Yield / acre for Paddy under ZBNF and Non-ZBNF (in quintals)	19
Figure 2.4 Net Returns per acre of Paddy crop for ZBNF and non-ZBNF (in rupees)	20

Figure 2.5 Costs, Returns per acre of Maize Cultivation – Kharif 2018-19 in A P	26
Figure 2.6 Costs, Returns per acre of Groundnut Cultivation – Kharif 2018-19 in A P	27
Figure 2.7 Costs, Returns per acre of Cotton Cultivation – Kharif 2018-19 in A P	28
Figure 3.1 Farmers Perception on the Consumption of Fertilizer in their Village due to ZBNF	33
Figure 3.2 Farmers Reporting ZBNF practices enhanced quality of their land across Andhra Pradesh	35
Figure 3.3 % of Farmers reporting that ZBNF practices enhanced quality of land - Andhra Pradesh	36
Figure 3.17 Distribution of Farmers According to Sources of Working Capital for the Agriculture Operations of ZBNF and Non-ZBNF	37

ACKNOWLEDGMENTS

In completion of the Impact Assessment of Zero Budget Natural Farming in Andhra Pradesh, a large number of persons and agencies have helped us without whose cooperation this report would not have been possible. First and foremost, we are grateful to our Chairman Prof. R. Radhakrishna, for his encouragement to take up this study and for his insightful comments at every stage of the work. He also made field visits and guided the team. We also profusely thank the present Director, Prof. E. Revathi for her support in completion of the study.

Special thanks are due to Shri. T. Vijay Kumar, IAS (Retd), Advisor to Government of A.P for Agriculture & Cooperation, and Co-Vice Chairman, Rythu Sadhikara Samstha for entrusting the project and reposing faith in us. We owe gratitude to D V Rayudu, IAS (Retd), Sri. G. Murali, RySS, Dr. C.P. Nagi Reddy, RySS for their active participation, suggestions during several interactive sessions relating to the study, and continuous support in completion of the research project. Our thanks are also due to Sri. Rajasekhar, IAS, and former CEO of RySS and present Commissioner of Agriculture and CEO of RySS Sri. Arunkumar IAS., for their support to the study. We fail in our endeavour if we do not thank other members of the ZBNF team members at headquarters. We profusely thank senior Statisticians Prof. T J Rao, Dr. Hukum Chandra, National Fellow, IASRI, Deputy Director General, NSSO, Hyderabad and Sri. Dayanand, Joint Director, Bureau of Economics and Statistics, Telangana, for their active participation in finalising methodology and also on Crop cutting Experiments (CCEs)

In the field, a number of officials of RySS have extended their help in facilitating our fieldwork. District Project Managers in all the thirteen districts in the state and their staff gave all the support we needed to complete the fieldwork. We owe deep gratitude to community resource persons (CRPs), ICRPs, and other staff in all the districts for their help and sharing their insights with us while conducting field survey especially CCEs. We are indeed thankful to all of them.

The team expresses their sincere thanks to CESS Consultants Prof. K S Reddy, Dr. T. Satyanarayana, Prof. K.V Ramana Reddy, Prof. Ramu Naidu and CESS faculty member Dr. M. Srinivas Reddy who helped us in the completion of case studies. We also owe our gratitude to Sri. C M Reddy and Sri. P. Sam Sanjeev and their colleagues from NSSO Sri. NSP Rao, V. Bapi Raju, B. Anjaneyulu and V. Nagabhushanam for their staunch support in completion of crop cutting experiments along with field survey in their respective areas.

We would like to extend our sincere thanks to our supervisory staff Dr. M. Bhaskar Reddy, Mr. B. Narasaiah, Mr. B. Srinivas, Mr. T. Dastagiri, Mr. B. Rajkumar and other eight Supervisors:

MS. T. Gowri, N. Kanna, Ch. Padalu, P. Ramesh, T. Maruthi, M. Maheswar Reddy, T. Venkatram Reddy and Dr. AN Murthy who led the field staff in their respective districts and successfully completed the fieldwork including CCEs under difficult situations. All these field supervisory personnel and field Investigators have actively participated in the field work with all devotion, commitment and sincerity. They faced lot of difficulties especially in completion of CCES and it is their efforts that made a different in maintaining the quality of data. CESS supervisory staff also helped the team in data cleaning with at most sincerity. Our special thanks to Mr. K T Shyamsundar, Data Manager who has effectively monitored and maintained the log of data from different districts besides overseeing the data entry. We also thank Mr. Mallikarjuna Naik of AP SC/ST cell located in CESS for creating suitable App for CCEs and his support in continuous monitoring of CCEs with district teams.

We fail in our duty if we forget to thank Mrs. Panchakshari, Mrs. Rama Devi, Mrs. Bhushana, and Mrs. Lakshmi for helping us in the completion of the data entry in time and other support activities. Our thanks are also due to Mr. P. Raja Narender Reddy for his secretarial help.

Authors

EXECUTIVE SUMMARY

1. Context

The Government of Andhra Pradesh has introduced Zero Budget Natural Farming (ZBNF) in 2016 as an alternative to chemical-based and capital intensive agriculture, through its implementing agency Rythu Sadhikara Samstha (RySS). The main objective of the ZBNF is to make agriculture economically viable, agrarian livelihoods profitable thereby reduce agrarian distress through cost reduction and sustainable agricultural practices that are climate-resilient. ZBNF aims to reduce cost of cultivation, enhance soil fertility, enhance yields, reduce risks, and protect from uncertainties of climate change by promoting the adoption of an agro-ecology framework. Extension support is led by farmers (including women) through a process of farmerto-farmer learning. The programme aims to reach all farmers in the state - 6million farmers, including tenants - and stay engaged with them to achieve a 100% chemical-free agriculture by 2024. ZBNF also aims to create the human and social capital necessary for vibrant and inclusive agricultural production. The ZBNF is a paradigm shift in agricultural development and it has passed through three agricultural years of implementation since its inception. RySS thought it is the time to assess the impact of the ZBNF on farming and farming community. Hence the present study is sponsored to assess the impact and to suggest policy inputs to bring improvements in the ZBNF, if any, required.

2. Research Questions

In the above backdrop, the study addresses itself to the following research questions:

- 1. What is the impact of ZBNF on the levels and composition of input use for crops grown?
- 2. How far the input use of ZBNF has contributed to the cost of production of crops?
- 3. How far the ZBNF inputs have impacted yield of crops?
- 4. What is the impact of ZBNF on incomes of farmers?
- 5. How far the ZBNF practices like intercropping, rising of border and bund crops have contributed to farmers' incomes?
- 6. What are the benefits accrued to farming and farmers beyond costs and returns?
- 7. What are the policy implications emerging from the analysis for realising the potential benefits from ZBNF?

3. The Methodology

The detailed narration of methodology for assessing the impact of ZBNF is in order.

3.1 The Basic Approach

In order to assess the impact of ZBNF, a comparison has been made between ZBNF farmers and non-ZBNF farmers in regard to input use, cost of cultivation and yield of crops, and net income to farmers and other impact domains. This evaluation methodology is based on what is known as "with and without" approach. The study has deployed both quantitative and qualitative methods. Listing Survey and Household Survey have been conducted to collect quantitative data from the households. Focussed group discussions and case studies with farmers, and strategic interviews with District Project Managers have been conducted to obtain qualitative data as well.

3.2 Parameters considered for assessing impact of ZBNF

ZBNF is expected to have a major impact on farming system and farming community, thanks to its potential in promoting sustainable agricultural livelihoods without degrading natural resources and environment. The inputs of ZBNF like *Beejammurtham*, *Ghanajeevmrutham*, *Dravajeevamrutham*, different *Kashayams and Asthrams* prepared with locally available resources can reduce the costs of production of crops as well as improve the health status of soil and crops grown. This is the strategy for improving farm income by stabilizing and increasing crop yields and reducing cost of cultivation and out-of-pocket expenses. Besides, this is likely to enhance farm income by using land continuously but sustainably throughout the agricultural year, raising crops on farm bunds and border areas of cropped area both for protecting main crops from pest attacks as well as for generating a continuous flow of income throughout the agricultural year.

In this backdrop, the parameters considered for assessing the impact of ZBNF include: cost of inputs per acre (biological inputs in case of ZBNF and chemical inputs for Non-ZBNF), percentage of cost of inputs in the total cost of production per acre, cost of production per acre, yield in quintals per acre, net income per acre accrued to farmers, income to farmers from intercropping, border and bund crops. The data on yields of crops were collected from farmers as well as through Crop Cutting Experiments (CCEs)

The other parameter considered for assessing the impact of ZBNF on farming include: health status of land, quality of crop output, resilience of crops to weather variability, financial empowerment of farmers and respectability towards agriculture. Softening of soils, presence of earthworms and green cover in the fields are considered to measure soil health. Weight of the grains, strength of stems and taste are considered to measure quality of output. Resilience of crops withstanding to dry spells and wind is considered to assess the resilience of crops to

weather variability. The prominent contribution of ZBNF is to financial empowerment of the farmers. This is measured through dependency for working capital required to grow crops in the agricultural reference year, more on their savings accumulated through the cultivation of ZBNF in the previous years. Respectability towards agricultural occupation is assessed in terms of liking agricultural occupation due to ZBNF.

3.3 Sample Design

The study has covered all the districts of Andhra Pradesh. It is conducted in the villages where there are at least 10 farmers those have adopted all the practices i.e., seed to seed farmers of ZBNF and where the farmers have grown at least one major crop of the district. Ten villages from each district are randomly selected. Thus 130 villages in total are selected from the state. A Listing Survey has been conducted to cover all the households in the village to generate a sample framework for selecting the farmers for household survey. Stratified random sampling method is adopted to select the farmers belonging to pure tenant farmers, marginal farmers, small farmers and other farmers from the sample frame generated from the Listing Survey conducted in all the sample villages. Ten ZBNF farmers are randomly selected from each category of farm size. Similarly, ten non-ZBNF farmers from each village are selected randomly. Thus 1300 ZBNF farmers and 1300 non-ZBNF farmers, in total 2600 farmers, are selected for Kharif season.

3.4 Data Base

A detailed household questionnaire has been administered across all the sample farmer households to collect the data on the impact parameters mentioned above. Qualitative data has been collected through case studies of farmers, focussed group discussions with farmers and strategic interviews with the District Project Managers (DPMs). This data enabled to examine the research questions like interventions made under ZBNF to ensure continuous flow of income throughout agricultural year to the farming community, market channels opted by the farmers to get higher prices for ZBNF crop outputs, constraints encountered by farmers in using ZBNF inputs for crops, and other benefits, if any, accrued to farmers beyond costs and returns of crops.

4. Major Findings

The major findings of the analysis are presented in three sections. Section-1 deals with the major findings on the costs and returns of Paddy crop and other crops like Maize, Groundnut, Cotton, Tomato and Bengal gram. The findings related to the analysis on the issues like methods of growing crops to ensure flow of incomes to farmers throughout the agricultural year, and the

constraints encountered by the farmers in preparing/accessing ZBNF inputs are presented in section-2. The impact of ZBNF on the domains other than costs and returns like heath of soils, quality of output, and resilience of crops to withstand against weather variability, financial empowerment of farmers and respectability towards agricultural occupation are presented in section-3. The major findings of the study are in order.

Section 1: Costs and Returns of Crops

Paddy crop

- A comparison of the cost of biological inputs with that of chemical inputs has revealed that the cost of ZBNF inputs (biological inputs) per acre is found to be only Rs.1706 per acre and that of non-ZBNF inputs (chemical inputs) has turned out to be Rs.5361 per acre for Paddy crop. Thus, there is a decline in the cost of these inputs by Rs.3655 per acre due to ZBNF practices. It means that there is a reduction in the cost under ZBNF by 68 per cent over those non-ZBNF i.e. chemical inputs per acre. The percentage of reduction in this cost has ranged from 27 per cent in Srikakulam district to 90 per cent in Nellore district.
- The cost of biological inputs has formed 11.7 per cent of total cost per acre under ZBNF, while the cost of chemical inputs constitute 31.7 per cent under non-ZBNF Paddy. This clearly means that the cost of biological inputs have formed considerably lower proportion in the total cost of production under ZBNF compared to those under non-ZBNF.
- The paid out cost for the cultivation of Paddy crop per acre under non-ZBNF is Rs.16890, on average, at the state level. But it is found to be Rs.14572 under ZBNF. Thus, the paid out cost per acre has been reduced by Rs.2318 due to the adoption of ZBNF practices leading to a decline by 14 per cent in the cost of cultivation. But the cost of biological inputs declined by 68 per cent due to ZBNF.
- The relationship between increase in the ZBNF input use and the cost of production per acre is influenced by the percentage of increase in the use of ZBNF inputs in relation to the level of non-ZBNF inputs and labour market conditions. This is the reason why the percentage of increase in the use of ZBNF inputs does not ensure the same percentage of reduction in the cost of production per acre due to ZBNF.
- There is no significant difference in yield of Paddy crop between ZBNF and non-ZBNF and the yield is around 18 quintals for acre.
- There is no significant difference in yields of Paddy crop between the reported yield by farmers and that arrived at by CCEs.

• The farmers' incomes has been improved by 8 per cent only. The higher improvements in the levels of income is recorded in non-delta district.

Other crops

- A comparison of biological input cost of ZBNF and chemical input cost of non-ZBNF per acre has revealed that the cost of ZBNF inputs is lower than that of non-ZBNF across the crops like Maize, Groundnut, Cotton, Tomato, and Bengal gram. Per acre cost of biological and chemical inputs respectively are: Rs.1866 and Rs. 2440 for Maize; Rs.1117 and Rs. 1510 for Groundnut; Rs.1159 and Rs. 3659 for Cotton; Rs.2058 and Rs. 6760 for Tomato; Rs.1835 and Rs. 3315 for Bengal gram. The extent of decline in absolute and relative terms is pronounced in case of high value crop like Cotton and vegetable crop like Tomato compared to other crops considered for the analysis.
- The share of cost of biological inputs in the paid out cost ranges from 6.7 per cent for Tomato to 16.0 per cent for Bengal gram under ZBNF, while the share of cost of chemical inputs ranges from 12.5 percent for Groundnut to 27.5 per cent for Cotton. The absolute costs as well as share in the paid out cost of production of non-chemical inputs per acre are found to be considerably lower for the crops grown under ZBNF compared to the chemical inputs for the same crops under non-ZBNF. The reduction of costs is pronounced among the high value crops like Tomato, Cotton and Bengal gram due to the use of ZBNF inputs.
- The cost of production of crops per acre is found to be the lowest i.e. Rs.10993 in case of Cotton and the highest of Rs. 30736 in case of Tomato grown under ZBNF. The same is found to be the lowest i.e. Rs.12123 for Groundnut and the highest of Rs.37696 for Tomato grown under non-ZBNF. Moreover, the cost of cultivation per acre found to be lower across all the crops grown under ZBNF compared to the same crops grown under Non-ZBNF. Both the percentage of reduction of inputs per acre and the cost of cultivation per acre are higher in case of high value crops like Cotton and vegetables like Tomato compared to those under other crops
- The use of biological as well as chemical inputs has reflected in the yield of crops. The yield of the crops grown under ZBNF are found to be on par with those grown under non-ZBNF. This true across crops like Groundnut, Cotton, Bengal gram and Tomato. Moreover, the yield of Maize under ZBNF is significantly higher than that under non-ZBNF. This provides compelling evidence that the yield response to biological inputs is much higher than that of chemical inputs. This is more so because of higher yield for Maize crop of ZBNF over non-

ZBNF and yield on par with those of other crops despite the lower levels of use of ZBNF inputs, compared to the levels of use of chemical inputs.

• The net income per acre to the farmers is higher from ZBNF for all the five crops considered for the analysis. It is the highest for Tomato under ZBNF i.e. Rs. 130876 per acre as against Rs. 93046 in case of Tomato under non-ZBNF. Similarly for Bengal gram, the net returns per acre under ZBNF are Rs.22079 as against Rs.18817, followed by Maize (Rs. 18362 as against Rs. 8684), Groundnut (Rs. 14495 and Rs.10282) and Cotton (Rs.11568 and Rs.7957). The highest increase in net income of farmers due to ZBNF is from Maize (111 percent) followed by Cotton (45 per cent), Groundnut and Tomato (41 per cent each) and 17 percent in case of Bengal gram

Section 2: Regularity in income flows, higher prices for crop outputs and Constrains in preparing /Accessing ZBNF inputs

- Keeping in mind the agro climatic conditions of the region, the principle of 5-Layercropping
 pattern with a different combination of suitable crops for each layer is recommended for
 cultivation under ZBNF.
- Case studies clearly depict evidence that the farmers can increase their incomes further if proper marketing support is provided by the RySS.
- Apart from scarcity of local cows and scarcity of human labour, other constraints reported by the farmers include: the knowledge required to prepare *Kashayams* and *Astrams* to control pest is not imparted to many of the farmers; leaves required to prepare these inputs are not available in some villages and hence farmers are not able to prepare these inputs themselves; readymade ZBNF inputs are not available in the markets; and NPM shops are not providing these inputs because they are not available in all the villages and or they are not functioning even though they are in existence in some of the villages.

Section 3: Soil Health, Crop Health, Resilience of Crops, Financial Empowerment, and Respectability of Agricultural Occupation

- A large proportion of ZBNF practicing farmers have reported that the soil fertility has gone up due to ZBNF. This is true by and large across all the districts.
- Farmers have provided evidence through three parameters namely softening of soils, presence of earthworms, and increased green cover in the fields. It is also clear that the green cover is not as widely present as the other two dimensions of soil fertility.

- Farmers have considered three dimensions to reflect on the quality of output. They include weight of the grains, strength of stems and taste. Among these dimensions, larger proportions of farmers across the villages of the districts have reported that the crop output of ZBNF is very tasty. Between the other two dimensions, higher proportion of farmers have reported that the plants of the crops have stronger stems.
- As to the resilience of crops withstanding to dry spells and wind is concerned, 42 per cent of the farmers reported that the crops grown under ZBNF have more resilience to withstand against dry spells and wind.
- The prominent contribution of ZBNF is financial empowerment of the farmers. This is evident from the fact that farmers have depended for working capital required to grow crops in the agricultural reference year, more on their savings accumulated through the cultivation of ZBNF in the previous years.
- The most significant contribution of ZBNF is that most of the farmers like the agricultural profession. Thus the occupation status of agriculture has gone up due the ZBNF in the rural areas of the State of Andhra Pradesh.

5. Policy suggestions

It is evident from the analysis that the major constraint for the adoption of ZBNF relates to the inadequate exposure to this method of natural farming. Moreover, some of the farmers reported that they do not have adequate knowledge for the preparation of *Kashayams* and *Asthrams*. Lack of awareness has also constrained them from realising the full potential benefits of ZBNF. The expansion of extension services by way of increasing CRPs at the village level may help the farmers in acquiring skills, addressing the market related issues and achieving the full potential of ZBNF.

Household survey has clearly revealed that farmers complained about lack proper marketing support. Marketing support is particularly important for realising the full potential benefits of ZBNF. Besides, there is also a need to address the issue for overcoming labour shortage, and ensure the availability of readymade inputs. The promotion of farmers' collectives both for male and female farmers may address these issues. More importantly, policy support is also needed for meeting the financial and investment requirements of farmers adopting ZBNF. For instance, the adoption of 5-layer model of growing crops requires considerable investments upfront to ensure continuous flow of incomes and full green cover in the fields. These investment requirements can be met by ongoing government programmes being implemented by different

departments of agriculture, rural development and other related departments. Thus the key findings recorded above led to the following suggestions to bring improvements in the implementation of ZBNF:

- (1) Strengthening Extension Services,
- (2) Providing Market Support,
- (3) Promoting farmers collectives, and
- (4) Integrating the ZBNF with all relevant government programmes to enable farmers for realising the vision of making the entire state of Andhra Pradesh as a natural farming state.

CHAPTER 1

Context, Objectives and Methodology

1.0 Context

The farming system and the farming community in Andhra Pradesh, as well as in the entire country, have been facing many challenges under chemical-based agriculture. Recent focused group discussions held with the farmers in villages across all districts of Andhra Pradesh by a research team from the Centre for Economic and Social Studies (CESS), Hyderabad has highlighted most of the challenges and negative consequences of chemical-based agriculture. These challenges and consequences might have provided the rationale and justification for introduction and promotion of Zero Budget Natural Farming (ZBNF) both within and beyond Andhra Pradesh. To begin with, the cost of cultivation of crops is very high under chemical-based agriculture. This is due to a heavy dependency on costly chemical inputs, which are purchased from markets external to the villages. The chemical-based agriculture is also highly capital-intensive requiring the mobilization of larger volume of working capital from private groups and institutions, including informal credit institutions that provide credit at relatively higher interest and extreme payment conditions. This has often led the farmers into debt trap and vicious circle of poverty, which is more so in case of farmers, who have not obtained remunerative prices for their crop outputs.

From an ecological and resource perspective, the soil fertility has declined over time due to use of heavy doses of chemical fertilizers every year. This has resulted in the reduction of the marginal productivity of land with respect to fertilizer inputs. The use of heavy doses of fertilizers has also given rise to the growth of different types of pests at different phases of crop growth. The use of heavy doses of pesticides to control the pests attacked has, in turn, led to rising cost of cultivation as well as severe damage to human health and quality of output. The extensive use of chemical inputs has also affected soil fertility and land productivity. The withstanding capacity of crops to weather variability like deficit or excess in rainfall has also become very low. This is due to the damage of soil health, especially its water-holding capacity, under chemical-based agriculture. Mixed, border, and bund crops, which are necessary not only to increase farm income but also to rejuvenate the soils, are conspicuously absent under chemical-based agriculture. The absence of mixed crops has resulted in the reduction of risk-coping capacities of crops to weather variability. The absence of border and bund crops has eliminated the scope of arresting pests to the main crop and a continuous flow of incomes to the farmers. The crop outputs produced under chemical-based agriculture have been chemicalised.

This has led to higher incidence of health problems both to farmers and to consumers. Farmers expressed that they have suffered from several health problems like irritation of eyes, skin, nose, throat, and lungs. As a result, many farmers have kept their land follow and /or leased it out because they realized that farming is not economically viable and want to be free from various forms of economic and health-related risks and uncertainties.

It is in this emerging context, the Government of Andhra Pradesh has introduced Zero-Budget Natural Farming (ZBNF) in 2016 as an alternative to chemical-based and capital intensive agriculture. The main objective of the ZBNF is to make agriculture economically viable, agrarian livelihoods profitable and reduce agrarian distress and risk through cost reduction and sustainable agricultural practices that are climate-resilient. ZBNF aims to reduce cost of cultivation, enhance soil fertility, enhance yields, reduce risks, and protect from uncertainties of climate change by promoting the adoption of an agro-ecology framework. Extension support is led by farmers (including women) through a process of farmer-to-farmer learning. The programme aims to reach all farmers in the state - 6million farmers, including tenants - and stay engaged with them to achieve a 100% chemical-free agriculture by 2024. It will support each farm family, at least, for a 5-year period or till it attains sustainable and viable livelihoods under ZBNF. ZBNF also aims to create the human and social capital necessary for vibrant and inclusive agricultural production.

1.1 Research Questions

In the above backdrop, the study addresses itself to the following research questions:

- 1. What is the impact of ZBNF on the levels and composition of input use for growing crops?
- 2. How far the input use of ZBNF has contributed to the cost of production of crops?
- 3. How far the ZBNF inputs have impacted yield of crops?
- 4. What is the impact of ZBNF on incomes of farmers?
- 5. How far the ZBNF practices like intercropping, rising of border and bund crops have contributed to farmers' incomes?
- 6. What are the benefits accrued to farming and farmers beyond costs and returns?
- 7. What are the policy implications emerging from the analysis for realising the potential benefits from ZBNF?

1.2 The Scope of the Study

ZBNF is expected to have a major impact on farming system and farming community, thanks to its potential in promoting sustainable agricultural livelihoods without degrading natural resources and environment. The inputs of ZBNF like Beejammurtham, Ghanajeevmrutham,

Dravajeevamrutham, different *Kashayams* and *Astrams* prepared with locally available resources can reduce the costs of production of crops as well as improve the health status of soil and crops grown. This is the strategy for improving farm income by stabilizing and increasing crop yields and reducing costs of cultivation and out-of-pocket expenses. Changing land use pattern and cropping pattern is one of the dominant impact expected from ZBNF. This is likely to enhance farm income by using land continuously but sustainably throughout the agricultural year, raising crops on farm bunds and border areas of cropped area both for protecting main crops from pest attacks as well as for generating a continuous flow of income throughout the agricultural year. Thus, the ZBN practices impact soil fertility, quality of crop output, resilience of crops to withstand against weather variability, financial empowerment and respectability towards agricultural occupation in addition to cost of cultivation and yield of crops, and incomes to farmers. These issues formed the scope of the study.

1.3 The Methodology

The detail narration of methodology adopted for the study is in order. It includes basic approach, sample design, data gathering and data management.

1.3.1 The Basic Approach

The evaluation methodology is based on what is known as "with and without" approach wherein outcomes of a random sample of ZBNF farmers cultivating a particular crop are compared with the outcomes of a random sample of farmers cultivating the same crop using chemical farming. In doing so the comparability of the two groups are ensured in two ways. In first method is perfect control, where comparability is ensured by selecting a farmer cultivating the same crop in two conditions and in the second method sample from two farming group cultivating the same crop in same village and in same land size class are selected for comparison. The study has deployed both quantitative and qualitative methods. Listing Survey and Household Survey have been conducted to collect quantitative data from the households. Focussed group discussions and case studies with farmers, and strategic interviews with District Project Managers have been conducted to obtain qualitative data as well. Crop cutting experiments (CCEs) are conducted to assess the yield apart from collecting farmer reported yields. Though we are expected to conduct one CCE for every sample farmer, the study could not do for all because of delay in the initiation of the study i.e. in the midst of November 2018 and by that time, many farmers have harvested their Kharif crops.

1.3.2 The Sample Design

The sample design of the survey was prepared keeping in view of the methodology followed for evaluating the efficacy of ZBNF.As per the 2017-18 data supplied by RySS, there are 17491 ZBNF farmers spread over 1000 villages across all the 13 districts of the state. They are growing about 72 different crops. Since conducting Crop Cutting Experiments (CCE) and cost estimation for all these crops is not feasible, the proposed sample design would focus only on three major crops identified in each of the 13 districts and considered only those villages where, at least, one of these major crops were grown during the year 2017-18 (Table 1). The identified set of major crops includes horticultural crops also. Further, in order to ensure availability of 10 ZBNF farmers in each village, only those villages with, at least, 10 ZBNF farmers reported growing the major crops in the recent year have been included in sample frame. Finally, a total of 492 villages are considered in the sampling frame (Table 1). Information provided by the RySS on ZBNF spread form the basis for sample design.

Table 1. Three Major Crops grown by ZBNF farmers during 2017-18

		Major crops	No.of villages with at	
				least 10 ZBNF farmers
District	1	2	3	growing major crops
Srikakulam	Paddy	Maize(Corn)	Black Gram	55
Vizianagaram	Paddy	Maize(Corn)	Black Gram	64
Visakhapatnam	Paddy	Green Gram	Tomato	57
East Godavari	Paddy	Cashew	Cotton	48
West Godavari	Paddy	Maize(Corn)	Palm oil	43
Krishna	Paddy	Maize(Corn)	Mango	52
Guntur	Paddy	Maize(Corn)	Cotton	35
Prakasam	Paddy	Bengal Gram	Chillies	13
Nellore	Paddy	Citrus	Chillies	19
Kadapa	Paddy	Banana	Groundnut	18
Kurnool	Paddy	Cotton	Groundnut	32
Ananthapuramu	Paddy	Maize(Corn)	Groundnut	38
Chittoor	Paddy	Groundnut	Tomato	18
	Andl	nra Pradesh		492

A stratified multi-stage sample design is adopted for the survey. First, all the ZBNF farmers are divided into 13 strata, where each stratum is co-terminus with each district. In the first stage, a random sample of 10 villages was selected from each stratum. In second stage, a sample of 10 ZBNF and 10 non-ZBNF farmers are selected from each sample village using stratified random sampling method. For this purpose, in each village, all the ZBNF and non-ZBNF cultivators were listed and stratified into four strata based on land owned: 1) Landless, 2) Owning 0 Less

than 2.5 acres, 3) Owning 2.51 to 5 acres,4) other large farmers. This list of farmers is used as the sample frame for each village, from which the samples of farmers are drawn. The detailed methodology followed at each stage is described below.

For each district, a list of villages with presence of a minimum of 10 ZBNF farmers growing at least, one of the identified crops is prepared first to serve as a sample frame. From this list, a sample of 10 farmers was selected randomly. One limitation of the present sample design is that it is based on data pertaining to the previous year i.e. 2017-18. Although the three major crops identified in each district may not vary in the current year, some farmers in few villages are likely to shift to different crops in the current year. Therefore, after a village is selected, if the investigator finds that there are no farmers growing major crops, it has be dropped and substituted with another village. In this way, a basket of 15 sample villages is prepared for each district.

The sample of 10 ZBNF was selected from the sample frame of each village. The sample of 10 farmers was distributed across the strata as: 2 from stratum 1, 3 from stratum 2, 3 from stratum 3 and 2 from stratum 4. In actual practice, however, adequate number of farmers may not be available in each stratum. In such cases, any shortfall of sample in a stratum is compensated by taking farmers from the immediate next stratum. If there is shortfall in the next stratum also, the compensation can be from the next and so on.

While selecting the ZBNF farmers, priority is given to farmers who are cultivating the identified major crop in non-ZBNF conditions also. As mentioned above, these farmers constitute perfect controls. Thus, a total of 10 ZBNF farmers are selected from each village, some of them also serve as non-ZBNF samples i.e. self-control. A sample of 10 non-ZBNF farmers were selected from each village for the purpose of control. Within each selected village, the non-ZBNF farmers were listed and stratified into four strata based on land owned. The required 10 sample farmers were selected from four strata following the same principle as in case of ZBNF samples. However, since some of the ZBNF sample farmers also served as controls (perfect matches), the total non-ZBNF samples to be drawn from non-ZBNF list is reduced by the number of perfect matches found in ZBNF sample.

After selecting the farmer, the parcel of land, where the farmer is growing the major crop, was identified. From this parcel of land, a plot of *size as required by the procedure* will be selected at random for estimating yield through crop cutting experiments (CCEs). It is to be noted that

the study adopted standard methodology of IASRI (followed by Directorate of Economics and Statistics of A P) for conducting CCE.

For this study, 10 villages from each district are selected randomly and from each selected village, 10 ZBNF i.e. Seed-to-Seed farmers are similarly selected. Equal number of control farmers (non-ZBNF) is selected from the same village. Thus, a total of 2600 sample farmers (1300 ZBNF farmers and 1300 non-ZBNF farmers) are selected for Kharif 2018.

CCEs are used to assess the changes in yield of crops. As changes in farm practices and processes are part of the impacts, they are captured by visiting the sample farmers three to four times in the season to minimise the memory lapses in recall by farmers. Costs and returns are estimated adopting the tools of farm management studies, i.e., cost of cultivation scheme under the Ministry of Agriculture and Cooperation, Government of India. CCEs are done following the methodology suggested by NSSO and adopted by the State Directorate of Economics and Statistics. The expertise of the personnel associated with these institutions has been utilised well for finalising the methodology. The entire data is captured on mobile so that there is no need for manual entry of data other than qualitative information. The system is supported by videos for all important activities.

1.3.3 The Data Gathering

The objective of the study is to assess the impact of ZNBF on farming system and farming community. It is hypothesised that the ZBNF bring changes in the status of farming system and farming community. The data required in this regard have been collected from the sample households through structured schedule. Data on land use pattern and cropping pattern, input use, cost of production and yield of crops, health status of land and crops to assess the impact on farming, mobilisation of working capital by farmers, income accrued to farmers, and respect towards agricultural profession to assess the impact on farming community, are also collected.

The assessment of the impact of ZBNF on farming system and farming community cannot be captured in totality and only through the quantitative data collected from the above described structured schedule. This is because the impact of ZBNF may be in an event form but it has a time lag for its impact to manifest in a perceptible way. The survey method helps to capture only a phenomena but not an event. Hence, the case studies of events used are able to capture these dimensions of the impact of ZBNF. Further, the ZBNF practices may give opportunity for the farmers to combine their indigenous knowledge with the proposed practices of ZBNF and come out with innovative practices well-matched with the ZBNF practices. Sometimes, the existing

structures of land relations like tenancy contracts and social structure of villages in terms of homogeneity/ heterogeneity with their relation to size of population may become barriers/drivers for the adoption of ZBNF. The case studies of farmers, who have managed the manifestation of these structures, and became successful farmers in adopting ZBNF, can also provide additional insights on the role factors both internal and external to farmers. As it happened in the case of green revolution technology with a dramatic increase in returns, medium and large farmers residing in/outside villages may resort to leasing in land to expand their operational holding if they convince themselves with higher returns of ZBNF. The case study of such farmer enable to capture the event of reverse tenancy (i.e., vacating tenant) under ZBNF. The impact of models of crop cultivation being promoted under ZBNF as well as the process adopted in deriving benefits from these models under different agro-climatic conditions can be captured well through case study method. Hence, case studies of this nature have been developed to capture the impact of ZBNF in its complete form.

The analysis of household survey alone may not be adequate enough to identify all the key challenges involved in realising the potential benefits from ZBNF. Focussed group discussions (FGDs) of farmers, which have been organised in five villages from each district, leading to a total of 65FGDs in the state, can shed more lights on the key challenges to be addressed for realizing potential benefits of ZBNF. Valuable data have been generated and recoded from these FGDs. The study also conducted strategic interviews with District Project managers (DPMs) of ZBNF to record their version to supplement the analysis wherever necessary.

Thus, the quantitative data (from listing survey of households and the sample survey of households) has been integrated with the qualitative data collected from case studies and FGDs not only to capture the impact of ZBNF on the farming system and farming community in totality but also to identify the key challenges to be addressed for realising the potential benefits of ZBNF.CCEs have been organised for estimating and comparing the yields of crops grown under ZBNF and non-ZBNF. This is in addition to the data on yields reported by farmers in the household survey.

1.3.4 The Data Management

ZBNF core team is having rich experience in data management including huge longitudinal studies such as Young Lives, AP Rural Poverty Reduction Project, AP District Poverty initiatives Project, Rural Indebtedness project and Mission Bhageeratha. Apart from this, two of the core team members worked in cost of cultivation scheme, AP Agricultural University for about two and half decades. Besides team leader and other core team members chosen

agricultural costs and returns for their doctoral degrees. Apart from all these, the team has continuous guidance of an eminent Economist who headed a Committee on Agricultural Sustainable development in A P. Given this rich exposure on the subject, the team identified the possible common errors/lapses that may arise and strengthened the in-house data management unit by placing trained personnel in appropriate places. In brief, the quality ensuring steps and key management aspects are given below.

The field instruments prepared have inbuilt checks with appropriate skip patterns besides supportive manual of instructions for all the questionnaires. Before finalizing the field instruments, study has convened a daylong brain storming session with experienced personnel in the field and incorporated their suggestions. Similarly, the study convened a daylong session with the senior researchers who are entrusted to conduct the case studies in all the thirteen districts to familiarize the concepts and objectives of the project and the check list for administering the case studies. A pilot was conducted on all the field instruments within-house Research Associates/Research Assistants to check the consistency of the questions and flow of the questions and the feedback session with the team members helped in refining the questionnaire.

In-house field Supervisors are also involved in the preparation of questionnaire along with core team members. A two day ToT was conducted in the headquarters. Given the workload, the study identified 8 experienced personnel to work as Supervisor of a district apart from 5 inhouse Supervisors. Thus the study deployed one Supervisor in each of the 13 districts. The study also selected qualified Investigators from the pool suggested by RySS who have sufficient agriculture background. A four day intensive training was conducted in CESS headquarters during 16-19th November 2018 with one day on-field training. In the training, the study has drawn the services of senior personnel from RySS to explain the background of the research study, experienced personnel from NSSO and DES to explain on the CCEs, apart from the core team members explaining the entire questionnaire along with manual of instructions, FGDs, case studies and the internal checks to be followed. Senior Statisticians in the team explained on the sample design and on the selection of farm households. In all the four days of training, senior experts drawn for case studies, and personnel selected to lead the CCEs have participated. On reaching the field, respective Supervisors have conducted on field training in the neighbouring villages and only after all the Investigators getting command on the questionnaire, actual field survey was commenced i.e. on 22nd November 2018. All the Supervisors are instructed to send the filled in schedules after completion of a village and after filling the schedule completely i.e.

completion of harvesting and winnowing etc. Two senior research Associates are involved to translate the FGDs conducted by the field Supervisors in to English language. Senior core team members conducted strategic interviews with District Project Managers with a common check list. A separate APP was generated to enter the CCE information and training was given to all the Supervisors duly installing APP in their mobiles. Core team members visited the field and cross checked the information filled.

The study entrusted a senior research Associate to monitor the receipt of filled-in schedules and to look after the entry work done by 4 entry operators. The entry programme was written in CSPro by one of the core team members with inbuilt checks and tested the package for four days by entering dummy data and the package was rectified and refined based on the feedback of the entry operators. Any discrepancies noticed in the data entry, Research Associate / Data Manager have cross checked with concerned field Supervisors and the correctness of the information had been passed on to the entry operators. While generating the result tables, the out-layers identified are cross checked with original schedule and with the concerned Supervisors and final result tables are generated only after following the data quality checks.

1.4 Structure of the Report

The report is organised in to four chapters. The context, objectives and methodology of the study have been presented in chapter 1. Chapter 2 deals with the analysis of the impact of ZBNF on cost of cultivation and yield of crops and farmers' incomes. Chapter 3 analyses the same issues dealt in chapter 2 in detail through qualitative data collected from households, case studies, focussed group discussion with the farmers and strategic interviews with the District Project Managers (DPMs). Summary, conclusions and policy implications of the analysis are presented in Chapter 4. Executive summary of the analysis is also presented in chapter 0.

CHAPTER 2

Impact of Zero Budget Natural Farming on Input use, Costs, Yields of Crops and Returns to Farmers

2.0 Introduction

This chapter is an attempt to assess the impact of ZBNF on farming and farming community. In contrast to the chemical based agriculture, the ZBNF is expected to bring changes in the cropping pattern from mono to poly cropping. This change ensures food security, balanced diet to safeguard nutrition, risk coping ability against weather variability and continuous flow of income to farming community. The ZBNF encourages farmers to grow crops on bunds of main fields as well as boarder/protective crops for crops grown in the field. Income from bund and boarder crops ensures income to farmers more or less equal to investment made on crops grown in main fields. The ingredients required for preparing inputs like Beejammurtham; Ghanajeevmrutham; Dravajeevamrutham; Kashayams and Astrams to protect crops from pests and insecticides are drawn from the locally available resources like dung, urine, dairy products, and farm yard manure from local cows; leaves and other related material. This ensures low cost inputs to farmers for growing crops. These inputs also improve yields of crops. Thus, lower cost of cultivation and improved yield of crops result in increase of incomes of farmers.

2.1 Research Questions

In the above backdrop, this chapter addresses to the following research questions:

- 1. What is the impact of ZBNF on level and composition of input use of crops grown?
- 2. How far the changes in input use due to ZBNF has impacted costs, yields and returns to farmers?

2.2 The Approach

A comparison has been made in regard to input use, costs and returns of farmers between ZBNF and Non-ZBNF practitioners to assess the impact of ZBNF particularly on costs and returns of crops. Though a sample of 1987 farmers are covered in the study, 661 pure ZBNF farmers grown only ZBNF crops, 704 Non-ZBNF farmers grown only crops under Non-ZBNF practices are considered for the report. In other words, 622 self-control farmers who have grown the same crop under ZBNF as well as under non-ZBNF practices, have not been included in the main analysis as the study noticed contamination in the input applications. It was thought the self-control farmers can be a better internal control to control all the household specific, land specific and management specific factors effectively to obtain the robust assessment of the ZBNF impact

but in reality, it was found that these farmers have adopted some of the practices of ZBNF like application of *Kashayams* /Astrams to control pests and diseases on non-ZBNF crops. Thus, the self-control methodology has not served the purpose. Hence, a comparison has been made between pure ZBNF and non-ZBNF farmers to assess the impact of ZBNF on costs and returns of crops (for details see Table 2.1). The data collected from farmers on level and composition of input use, costs and yield of crop have been analysed in this regard. As far as yield of crops are concerned, the reported yield of crops and the yield obtained through crop cutting experiments (CCEs) have been compared. As explained in the first chapter, the study drew the services of retired personnel from NSSO who have vast experience in CCE to conduct CCEs. As the survey for Kharif season commenced in the 3rd and 4th week of November 2018, the study could not do CCEs of all the crops as by that time, many of the crops have been harvested. However, the study has sufficient numbers of CCE district wise for paddy. But the whole analysis of costs and returns of crops has been conducted on the basis of reported yield of crops by the farmers, but not based on the CCEs.

Table 2.1 Distribution of Sample Farmers across the Districts in Kharif Season during 2018-19

	Total	ZBNF Fari	ners	Non-ZBNF
	Sample	Self-control Farmers	ZBNF farmers	Farmers
District	farmers	(Growing Crops	(Growing	(Growing crops
	(ZBNF +	under ZBNF as well	Crops Under	under non-
	non-ZBNF)	as non-ZBNF)	ZBNF only)	ZBNF only)
Ananthapuramu	163	43	60	60
Chittoor	179	26	77	76
East Godavari	167	34	63	70
Guntur	163	30	67	66
Kadapa	183	19	80	84
Krishna	116	82	18	16
Kurnool	181	20	81	80
Nellore	129	79	20	30
Prakasam	119	50	35	34
Srikakulam	124	75	24	25
Visakhapatnam	192	31	69	92
Vizianagaram	154	45	53	56
West Godavari	117	88	14	15
Total	1987	622	661	704

2.3 The Analysis

The impact analysis for different crops is in order.

2.3.1 Input use and Cost of Cultivation of Paddy Crop

It is hypothesized that the cost of cultivation of crops grown under ZBNF practices should be lower compared to that of under non-ZBNF. This is simply because the cost of inputs like *Beejammurtham, Ghanajeevmrutham, Dravajeevamrutham, Kashayams and Asthrams* used under ZBNF as against the fertilisers and pesticides under non-ZBNF is lower. However, the farmers may spend part (whole) of their savings from the expenditure on ZBNF input on other supporting services of human labour, bullock labour due to labour intensive nature of ZBNF. Thus the quantum of reduction in cost due to application of biological inputs over chemical inputs may not necessarily result in the reduction in the total cost of production per acre to that extent for crops grown under ZBNF.

Cost of Biological (ZBNF) and Chemical Inputs (non-ZBNF)

A comparison of the cost of biological inputs with that of chemical inputs has revealed that the cost of ZBNF inputs (biological inputs) per acre is found to be only Rs.1706 per acre and that of non-ZBNF inputs (chemical inputs) has turned out to be Rs.5361 per acre for paddy crop. Thus, there is a decline in cost of inputs by Rs.3655 due to ZBNF practices (Figure 2.1). It means that there is a reduction in the cost under ZBNF by 68 per cent over those non-ZBNF i.e. chemical inputs per acre. The percentage of reduction in this cost has ranged from 27 per cent in Srikakulam district to 90 per cent in Nellore district (Colum 3 of Table 2.2). The reduction levels are higher in south coastal and dry land areas of Rayalaseema compared to that of in the rainfed areas of North Coastal Andhra. The use of chemical inputs per acre is at lower level compared to that of the state average for the three North Coastal Districts. In north coastal districts, it is age old practice i.e. lower use of fertilisers and higher use of farm yard manure and it is reaffirmed in our study. This is the reason why the level of use of chemical inputs is lower than the state average (Colum 3 of Table 2.2).

The other interesting observation on the data is that the districts where there is more need to use biological inputs to reduce the consumption of chemical input, the farmers have used lower levels of biological inputs. East Godavari, West Godavari, Krishna, Guntur, Prakasam, Nellore, Kadapa, Kurnool, and Chittoor fall under this category. This indicates that the doses of biological inputs applied by the farmers are independent of the requirements across most of the districts (Colum 1 of Table 2.2). Had they used the required level of biological inputs, the cost

of reduction would have been further higher and the yield of crops under ZBNF might have been far higher than that of the crops grown under Non-ZBNF.




Table 2.2 Impact of Biological Inputs of ZBNF on Chemical Inputs of Non-ZBNF per Acre of Paddy across Districts

District	% of the cost of	Reduction in chemical	% of decline in cost
	biological inputs to	input cost due to use of	of ZBNF inputs over
	cost of chemical inputs	Biological inputs (Rs)	non-ZBNF inputs
Srikakulam	73.46	621	27
Vizianagaram	43.42	2159	57
Visakhapatnam	120.35	-290	-20
East Godavari	17.66	4661	82
West Godavari	38.12	3519	62
Krishna	50.43	2216	50
Guntur	30.68	5128	69
Prakasam	26.75	3483	73
Nellore	9.90	6980	90
Kadapa	20.14	4105	80
Kurnool	20.92	7399	79
Ananthapuramu	75.49	873	26
Chittoor	33.17	3372	67
Andhra Pradesh	20.07	3655	68

Note: Use of ZBNF puts is higher than that of non-ZBNF inputs in case of Visakhapatnam district.

Source: Field Survey

Cost of Biological (ZBNF) and Chemical Inputs (non-ZBNF) in total cost of Production per Acre of Paddy

Another parameter considered to assess the reduction in the cost of production of crops is percentage of cost of biological/chemical inputs in the total costs per acre. Here, the paid-out costs for the cultivation of Paddy crop are considered for the analysis. The paid-out costs include the costs incurred on seeds, human labour, bullock labour, machine labour, biological inputs like Beejammurtham, Ghanajeevmrutham, Dravajeevamrutham, *Kashayams* and Astrams/chemical inputs like fertilisers and pesticides, and other expenditure like hiring implements. The cost of biological inputs has formed 11.7 per cent of total cost per acre under ZBNF, while the cost of chemical inputs constitute 31.7 per cent under non-ZBNF paddy (Table 2.3). This clearly means that the costs of biological inputs have formed considerably lower proportion in the total cost of production under ZBNF compared to those under Non-ZBNF.

Table 2.3 Composition of Inputs in Total Cost per Acre of Paddy cultivation under ZBNF and non-ZBNF

	Paddy					
Inputs	Cost under ZBNF (in rupees)	% in Total Cost	Cost under Non- ZBNF (in rupees)	% in Total Cost		
Seed	880	6.04	860	5.1		
Human Labour	5904	40.52	5474	32.4		
Bullock Labour	500	3.43	109	0.7		
Machine Labour	4405	30.23	4478	26.5		
Biological Inputs of ZBNF/ Chemical inputs (Fertilizers &Pests) of Non-ZBNF	1706	11.71	5361	31.7		
Others	1177	8.07	608	3.6		
Total Cost	14572	100.00	16890	100.00		

Source: Field Survey

Cost of Production of Paddy under ZBNF and Non-ZBNF Practices

The paid out cost for the cultivation of paddy crop per acre under Non-ZBNF is Rs.16890, on average, at the state level. But it is found to be Rs.14572 under ZBNF. Thus, the paid out cost per acre has been reduced by Rs.2318 due to the adoption of ZBNF practices leading to a decline by 14 per cent in the cost of cultivation (Table 2.4). But the cost of inputs declined by 68 per cent due to ZBNF. Then, the issue in question is why didn't this cost advantage of ZBNF inputs has not resulted in the decline of total cost of cultivation of paddy crop per acre to that extent under ZBNF. The comparison of composition costs between ZBNF and Non-ZBNF paddy may provide answer to this. It is evident that the expenditure on other services of human labour and bullock labour has gone up under ZBNF over that under non-ZBNF (Table 2.3). It is

understandable that preparation of ZBNF inputs require more human labour in comparison to chemical inputs which are readily available in the market. This is particularly true in case of nuclear families where there is scarcity of labour workforce within the household is observed. In addition, procurement and preparation of ZBNF inputs may not require entire day for a labour but forced to pay day wages. All this indicates that the farmers have incurred additional expenditure on wage payments of human labour, bullock labour, and implements. This shows that the changes in the practices of paddy cultivation under ZBNF have marginally increased the cost of other inputs for crop production. It also indicates that ZBNF practices created more employment opportunities even for family labour.

As observed at the state level, the rate of reduction in the cost of inputs due to use of biological inputs has not reflected in the total cost of production per acre across all the districts (Table 2.4 and Figure 2.2). The grouping of the districts in to two categories, viz., delta and non-delta districts has brought out interesting insights in to this. The delta districts include East Godavari, West Godavari, Krishna and Guntur, while non-delta districts include all other districts. The percentage decline in the cost per acre is found to be more or less the same around 12 in both the categories of districts. But, the paid cost under non-ZBNF is found to be higher in the delta districts compared to those in the non-delta districts. The reason for this could be as follows. As mentioned earlier, ZBNF practices are slightly labour intensive and increases the demand for labour. The increased labour demand on the wages of hired labour depends on the labour market conditions. It might have created pressure on the already existing scarcity of hired labour in the delta districts. This might have led to higher wages in the delta districts. On the other hand, this might not have created pressure on the existing labour markets in the non-delta districts where there is less scarcity of hired labour. Hence there may be lower increase in the wages of hired labour in the non-delta districts (predominantly of rain-fed and dry-land area). This is one of the dominant reasons for the lower cost of production in the non-delta districts. The higher percentage of reduction and lower cost per acre in the rainfed areas compared to that of irrigated areas also provides substantial evidence to this. Further, the impact of increased demand for labour on the hired labour due to ZBNF practices may be more or less the same, as the labour market conditions could be more or less the same in both the irrigation practices (flow irrigation and other irrigation). Thus, the relationship between increase in the ZBNF input use and the cost of production per acre is influenced by the percentage of increase in the use of ZBNF inputs in relation to the level of non-ZBNF inputs and labour market conditions. This is the reason why the percentage of increase in the use of ZBNF inputs does not ensure the same percentage of reduction in the cost of production per acre due to ZBNF.




Table 2.4 Paid out Cost of Paddy crop under ZBNF and non-ZBNF across Districts (In rupees per acre)

Districts	Paid out cost per acre				
	ZBNF	Non- ZBNF	% of Reduction in cost of ZBNF over non-ZBNF		
Srikakulam	12324	11581	-6.4		
Vizianagaram	13712	13743	0.2		
Visakhapatnam	8870	9694	8.5		
East Godavari	15009	16483	8.9		
West Godavari	15787	18535	14.8		
Krishna	17814	20950	15.0		
Guntur	16550	20236	18.2		
Prakasam	13816	19079	27.6		
Nellore	16303	21319	23.5		
Kadapa	16784	18791	10.7		
Kurnool	15500	19614	21.0		
Ananthapuramu	15190	15956	4.8		
Chittoor	16809	18007	6.7		
Andhra Pradesh	14572	16890	13.7		
Delta districts	16429	18630	11.8		
Other districts	13925	15881	12.3		
Canal+Tank	14842	16861	12.0		

Other Sources	15272	17846	14.4
Irrigated	15097	17352	13.0
Rainfed	10456	12744	18.0

Source: field Survey

2.3.2 Input use, Yield, and Income to Farmers

Yields as per CCEs

Before discussing the farmer reported yields and income to farmers, it is apt to examine the yield of Paddy through crop cutting experiments (CCEs). One of the major activities of this study is to collect yield data from crop cutting experiments (CCEs). As explained earlier in this report, the study has used the services of retired personnel from NSSO with vast experience in CCEs for guidance and conducting the CCEs. As the survey for Kharif season commenced in the 3rd and 4th week of November 2018, the study could not do CCEs of all the crops as by that time, many of the crops have been harvested. However, the study have sufficient numbers of CCE district wise for paddy crop and the results are presented in the Table 2.5.

As per the procedure, CCEs for paddy are conducted in 5*5 meters size of a selected plot and received an output of 13.85 Kgs wet weight at the state level. In terms of per acre yield, the wet weight works out to 22.42 quintals as against the farmer reported yield of 19.70 quintals. However, it is to be noted that farmer reported yield is almost dry weight and there is need to convert wet weight into dry weight. The study arrived dry weight varies between 10 to 15% less of wet weight (differed from district to district) and the derived wet weight need to be deducted to arrive dry weight to compare with reported yield. If the study considers deduction of 12%, on an average, it works out to 19.73 quintals dry weight under ZBNF as against the farmer reported yield of 18.30 quintals. Thus the farmer reported yields are marginally lower compared to CCE derived yields. Similarly, CCE dry yield per acre under non-ZBNF works out to 21.52 quintals as against the farmer reported yield of 19.30 quintals. Yields under ZBNF are marginally low compared to the same under non-ZBNF irrespective of whether the yield data are collected from CCEs or household survey. There are inter-district variations in yield data obtained under both methods. But the test of significance indicates that there is no difference in the yields obtained through CCEs and farmer reported yields.

Table 2.5 Per Acre Yields of Paddy under ZBNF and Non-ZBNF Methods across Districts

	ZBNF				Non-ZBNF	
District/ Yield	Wet output for CCE plot (kgs)	Dry yield/ acre as per CCE (qtls)*	Reported yield per acre (qtls)	Wet output for CCE plot (kgs)	Dry yield/ acre as per CCE (qtls)*	Reported yield per acre (qtls)
Srikakulam	8.90	12.67	15.14	12.15	17.31	13.02
Vizianagaram	11.65	16.60	17.99	13.37	19.04	17.47
Visakhapatnam	10.95	15.61	10.62	13.68	19.48	11.39
East Godavari	16.81	23.94	16.64	11.45	16.31	17.72
West Godavari	16.22	23.10	20.44			19.64
Krishna	14.83	21.13	21.89	18.75	26.71	27.39
Guntur	16.64	23.71	20.07	18.63	26.54	23.40
Prakasam	15.59	22.21	19.82	16.07	22.90	21.13
Nellore	13.70	19.52	20.73	14.55	20.72	24.10
Kadapa	14.76	21.01	21.04	14.29	20.35	16.74
Kurnool	14.91	21.24	21.68	18.21	25.94	25.69
Ananthapuramu	12.86	18.31	19.89			14.44
Chittoor	12.21	17.39	19.77			22.29
Andhra Pradesh	13.85	19.73	18.30	15.11	21.52	19.30

Source: Field data

Farmer reported yields and Incomes

The higher/lower level of cost per acre reflects higher/lower level of input use per acre. The cost of cultivation per acre is lower for paddy under ZBNF over Non-ZBNF across all the districts except Srikakulam. Hence the yield under ZBNF should be lower than that of under Non-ZBNF. But, the yield of ZBNF paddy is on par with that of Non-ZBNF, despite lower level of input use under ZBNF across all the districts except Krishna, Guntur and Kadapa (Table 2.6 and Figure 2.3). This indicates that the yield response to the ZBNF inputs is higher than that to the Non-ZBNF inputs. However, the yield is higher under Non-ZBNF than that under ZBNF for Krishna and Guntur, the delta districts. This is due to higher use of chemical inputs than the biological inputs used under ZBNF. This indicates that the response to the biological input is not adequate enough to catch up with yield of Non-ZBNF. Had the farmers of ZBNF used some more doses of biological inputs, the yield response would have been higher. A comparison across the delta districts indicates that the response to the biological inputs is higher in non-delta districts over that in the delta districts. This is further substantiated by the evidence that the yield response to the biological inputs in Kadapa, a non-delta district, is higher than that in the Guntur, the delta district. The higher response of the yield to the biological inputs has reduced the cost per quintal of production of paddy (Table 2.7 and Figure 2.3). Because of higher yields for paddy under

^{*} Arrived based on the average dry weight from the field experiments i.e. around 12% less than wet weight

ZBNF, the net income per acre for the ZBNF farmers is higher than that under Non-ZBNF farmers across most of the districts, especially Non-delta districts, non-flood among irrigation sources. But there is no difference in the net income to the farmers between ZBNF and non-ZBNF in rain fed conditions (Table 2.6 and Figures 2.4).




Table 2.6 District wise Yield of paddy under ZBNF and Non-ZBNF (Yield per acre in Quintals)

District	Yield per acre (in Quintals)		Whether Yield significantly differs between ZBNF and
	ZBNF	Non ZBNF	Non-ZBNF (Test of Significance)?
Srikakulam	15.14	13.02	Not Significant
Vizianagaram	17.99	17.47	Not Significant
Visakhapatnam	10.62	11.39	Not Significant
East Godavari	16.64	17.72	Not Significant
West Godavari	20.44	19.64	Not Significant
Krishna	21.89	27.39	**
Guntur	20.07	23.40	*
Prakasam	19.82	21.13	Not Significant
Nellore	20.73	24.10	Not Significant
Kadapa	21.04	16.74	**
Kurnool	21.68	25.69	Not Significant
Ananthapuramu	19.89	14.44	Not Significant
Chittoor	19.77	22.29	Not Significant
Andhra Pradesh	18.30	19.30	Not Significant

District	Yield per acre (in Quintals)		Whether Yield significantly differs between ZBNF and
	ZBNF	Non ZBNF	Non-ZBNF (Test of Significance)?
Delta districts	19.59	21.16	Not Significant
Other districts	17.86	18.23	Not Significant
Canal+Tank	17.83	20.78	**
Other Sources	19.61	18.81	Not Significant
Rain-fed	13.64	14.92	Not Significant
Irrigated	18.90	19.79	Not Significant
Rain-fed	13.64	14.92	Not Significant

Source: Field Survey

^{**} Indicates significance at 5 per cent level




Table 2.7 District wise Cost per Quintal and Net Incomes per Acre for Farmers of Paddy (In rupees)

District	Cost per Quintal and Net Income per Acre	ZBNF	Non-ZBNF	% of Increase/ Decrease under ZBNF over Non- ZBNF
Srikakulam	Cost per Qtl (Rs.)	814	889	8.5
	Net returns (Rs.)	10527	6844	-53.8
Vizianagaram	Cost per Qtl (Rs.)	762	787	3.1
	Net returns (Rs.)	19732	16405	-20.3
Visakhapatnam	Cost per Qtl (Rs.)	836	851	1.8
	Net returns (Rs.)	7221	7917	8.8
East Godavari	Cost per Qtl (Rs.)	902	930	3.1

20

^{*} Indicates significance at 1 per cent level

District	Cost per Quintal and Net Income per Acre	ZBNF	Non-ZBNF	% of Increase/ Decrease under ZBNF over Non- ZBNF
	Net returns (Rs.)	15770	16021	1.6
West Godavari	Cost per Qtl (Rs.)	772	944	18.2
	Net returns (Rs.)	24684	15296	-61.4
Krishna	Cost per Qtl (Rs.)	814	765	-6.4
	Net returns (Rs.)	18391	27893	34.1
Guntur	Cost per Qtl (Rs.)	825	865	4.6
	Net returns (Rs.)	17647	17886	1.3
Prakasam	Cost per Qtl (Rs.)	697	903	22.8
	Net returns (Rs.)	27961	23331	-19.8
Nellore	Cost per Qtl (Rs.)	786	885	11.1
	Net returns (Rs.)	15589	16516	5.6
Kadana	Cost per Qtl (Rs.)	798	1123	28.9
Kadapa	Net returns (Rs.)	25569	13922	-83.7
Kurnool	Cost per Qtl (Rs.)	715	764	6.4
Kulliooi	Net returns (Rs.)	22873	25205	9.2
Ananthapuramu	Cost per Qtl (Rs.)	764	1105	30.9
	Net returns (Rs.)	21317	12029	-77.2
Chittoor	Cost per Qtl (Rs.)	850	808	-5.3
	Net returns (Rs.)	20043	23143	13.4
Andhra Pradesh	Cost per Qtl (Rs.)	796	875	9.0
	Net returns (Rs.)	18317	16878	-8.5
Delta districts	Cost per Qtl (Rs.)	839	880	4.7
	Net returns (Rs.)	18312	18023	-1.6
Other districts	Cost per Qtl (Rs.)	780	871	10.4
	Net returns (Rs.)	18378	16215	-13.3
Canal+Tank	Cost per Qtl (Rs.)	832	812	-2.6
	Net returns (Rs.)	16724	18524	9.7
Other sources	Cost per Qtl (Rs.)	779	949	21.8
Other sources	Net returns (Rs.)	20734	16132	-28.5
Irrigated	Cost per Qtl (Rs.)	799	877	8.9
	Net returns (Rs.)	19144	17331	-10.5
Rain fed	Cost per Qtl (Rs.)	767	854	10.2
	Net returns (Rs.)	12138	12820	5.3

2.4 Cost of Biological (ZBNF) and Chemical Inputs (Non-ZBNF) for Maize, Groundnut, Cotton, Tomato and Bengal Gram

The data relating to costs and returns have been collected for crops like Maize, Groundnut, Cotton, Tomato, Bengal Gram, Cashew, Citrus, Black gram and Palm Oil. However, the analysis is confined to the first five crops, as the sample is not representative for other crops to

have meaningful averages. A comparison of biological input cost of ZBNF and chemical input cost of non-ZBNF per acre has revealed that the cost of ZBNF inputs is lower than that of non-ZBNF across all the crops. Per acre cost of biological and chemical inputs respectively are: Rs.1866 and Rs. 2440 for Maize; Rs.1117 and Rs. 1510 for Groundnut; Rs.1159 and Rs. 3659 for Cotton; Rs.2058 and Rs. 6760 for Tomato; Rs.1835 and Rs. 3315 for Bengal gram (columns 2 and 3 of Table 2.8). The extent of decline in absolute and relative terms is pronounced in case of high value crop like Cotton and vegetable crop like Tomato compared to other crops considered for the analysis (columns 5 and 6 of Table 2.8). The levels of biological input use might have been higher in case of Cotton and Tomato as the levels of chemical inputs is higher among these crops (columns 4, 2 and 3 of Table 2.8).

Table 2.8 District wise cost incurred on inputs per Acre under ZBNF and non-ZBNF for Maize, Groundnut, Cotton, Tomato and Bengal Gram

District	Biological (Non Chemicals) under ZBNF (Rs)	Chemical(Fer tilizers & Pesticides) inputs for non-ZBNF(Rs)	% of the cost of Biological inputs to the cost of chemical inputs	Reduction in input cost due to use of Biological input use (Rs)	% of decline in the cost of ZBNF input over the non- ZBNF input
1	2	3	4=(2/3) *100	5= 3-2	6=(5/3)*100
Maize	1866	2440	76.48	574	23.52
Groundnut	1117	1510	73.97	393	26.03
Cotton	1159	3659	31.68	2500	68.32
Tomato	2058	6760	30.44	4702	69.56
Bengal Gram	1835	3315	55.35	1480	44,65

Source: Field survey

2.4.1 Cost of Biological (ZBNF) and Chemical Inputs (non-ZBNF) in paid-out cost of Production for Maize, Groundnut, Cotton, Tomato and Bengal Gram crops

Another dimension of impact assessment of ZBNF is on cost structure of the crops. The share of biological inputs (non-chemicals) in the total cost per acre of the production of crop grown under ZBNF has been compared with those of chemical inputs for crops grown under non-ZBNF. The share of cost of biological inputs in the paid out cost ranges from 6.7 per cent for Tomato to 16.0 per cent for Bengal gram under ZBNF, while the share of cost of chemical inputs ranges from 12.5 percent for Groundnut to 27.5 per cent for cotton. Thus, it is evident that the absolute costs as well as share in the paid out cost of production of non-chemical inputs per acre are found to be considerably lower for the crops grown under ZBNF compared to the chemical inputs for the same crops under non-ZBNF. The reduction of costs is pronounced among the high value crops like tomato, cotton and Bengal gram due to the use of ZBNF inputs (Table 2.9).

Table 2.9 Percentage of Biological and Chemical inputs in Cost of Production under ZBNF and non-ZBNF for Maize, Groundnut, Cotton, Tomato and Bengal Gram Crops

Inputs/Crops		Ma	ize			Gro	undnut	
	ZBNF	% share	Non ZBNF	% share	ZBNF	% share	Non ZBNF	% share
Seed	1320	10.13	1396	10.63	6895	58.3	6853	56.53
Human Labour	4926	37.79	4824	36.73	1474	12.5	1510	12.45
Bullock Labour	1312	10.06	925	7.04	641	5.4	601	4.96
Machine Labour	3099	23.77	3205	24.40	1041	8.8	1071	8.83
Non Chemical/ Fertilizers & Pesticides	1866	14.31	2440	18.58	1117	9.4	1510	12.46
Others	513	3.94	346	2.63	657	5.6	578	4.77
Total Cost	13036	100.00	13135	100.00	11824	100.0	12123	100.00
		Ton	nato		Bengal gram			
Inputs/Crops	ZBNF	% share	Non ZBNF	% share	ZBNF	% share	Non ZBNF	% share
Seed	4241	13.8	4496	11.93	4581	40.03	4813	36.11
Human Labour	19134	62.3	20130	53.40	1233	10.77	1381	10.36
Bullock Labour	870	2.8	664	1.76	0	0.00	0	0.00
Machine Labour	2809	9.1	3500	9.28	3354	29.30	3535	26.52
Non Chemical/ Fertilizer, Pesticides	2058	6.7	6760	17.93	1835	16.04	3315	24.87
Others	1624	5.3	2146	5.69	441	3.86	286	2.15
Total Cost	30736	100.0	37696	100.00	11444	100.0	13330	100.0

Inputs	Cotton				
	Cost structure	% of input in	Cost structure	% of input in	
	of ZBNF	the total cost	of non ZBNF	the total cost	
Seed	2044	18.60	2041	15.35	
Human Labour	3780	34.39	3915	29.45	
Bullock Labour	1730	15.74	1430	10.76	
Machine Labour	1692	15.40	1720	12.94	
Non Chemical/ Fertilizers	1159	10.54	3659	27.52	
&Pesticides	1139	10.34	3039	21.32	
Others	587	5.34	530	3.99	
Total Cost	10993	100.00	13295	100.00	

2.4.2 Cost of Production under ZBNF and non-ZBNF Practices for Maize, Groundnut, Cotton, Tomato and Bengal Gram

The patterns of input use of the crops analysed above should reflect in the cost of production of crops. The cost of production of crops per acre is found to be the lowest i.e. Rs. 10993 in case of cotton and the highest of Rs. 30736 in case of tomato grown under ZBNF. The same is found to be the lowest of Rs. 12123 for groundnut and the highest of Rs. 37696 for tomato grown under

non-ZBNF. Moreover, the cost of cultivation per acre found to be lower across all the crops grown under ZBNF compared to the same crops grown under Non-ZBNF. The reduction in the cost of production of crops per acre is found to be the highest by 20 per cent for cotton and tomato compared to those (around one per cent for the other crops like maize, groundnut and Bengal gram. Thus it is abundantly clearly that the ZBNF has brought down considerably the cost of production of crops per acre across the crops. But the percentage of reduction in cost of production per acre of crops is not in commensurate to that of percentage of reduction in input cost due to ZBNF. However, both the percentage of reduction of inputs per acre and the cost of cultivation per acre are higher in case of high value crops like cotton and vegetables like tomato compared to those under other crops (Table 2.10).

Table 2.10 Cost of Production of Crops under ZBNF and non-ZBNF (Costs in Rupees)

Description of Chang and Coats		Method of Gro	wing Crops
Description of Crops and Costs	ZBNF	Non ZBNF	%Change over non-ZBNF
Maize			
Number of Farmers	17	18	
Cost per acre (Rs)	13036	13135	-0.01
Cost per Quintal (Rs)	626	824	-24.03
Groundnut			
Number of Farmers	47	73	
Cost per acre (Rs)	11824	12123	-0.03
Cost per Quintal (Rs)	2189	2602	-15.88
Cotton			
Number of Farmers	53	77	
Cost per acre (Rs)	10993	13295	-17.31
Cost per Quintal (Rs)	2428	3111	-21.95
Tomato			
Number of Farmers	9	6	
Cost per acre (Rs)	30736	37696	-18.46
Cost per Quintal (Rs)	202	253	-20.16
Bengal gram			
Number of Farmers	15	12	
Cost per acre (Rs)	11444	13330	-1.41
Cost per Quintal (Rs)	1617	1937	-16.52

Source: Field survey

2.4.3 Input use, Yields and Income of Farmers

The use of biological as well as chemical inputs has reflected in the yield of crops. The yield of the crops grown under ZBNF are found to be on par with those grown under Non-ZBNF. This is true across crops like groundnut, cotton, Bengal gram and Tomato. Moreover, the yield of Maize

under ZBNF is significantly higher than that under Non-ZBNF. This provides compelling evidence that the yield response to biological inputs is much higher than that of chemical inputs. This is more so because of higher yield for maize crop of ZBNF over non-ZBNF and yield on par with those of other crops despite the lower levels of use of ZBNF inputs, compared to the levels of use of chemical inputs (Table 2.11, Figures 2.5, 2.6 and 2.7)

Table 2.11 Crop wise Yields under ZBNF and ZBNF (Quintals per acre)

	Yield of Crops		Yield Significantly Differ between ZBNF
Crop	ZBNF	Non-ZBNF	and Non-ZBNF(Test of Significance)
Maize	20.81	15.95	*Significant
Groundnut	5.40	4.66	Not Significant
Cotton	4.53	4.27	Not Significant
Bengal gram	7.08	6.88	Not Significant
Tomato	151.85	149.15	Not Significant

Source: Field Survey; * Significant at 1 per cent level of significance

The cost per quintal of output has declined by 24 per cent for maize followed 22 per cent for cotton crop, 20 percent for tomato, and around 16 per cent each for groundnut and Bengal gram due ZBNF practices. Thus, it is very striking to note that the cost of production per quintal of output has reduced considerably compared to the cost of production per acre under non-ZBNF across all crops. This means that the yield response to the biological inputs is higher compared to that of chemical inputs across all the crops (Table 2.10). The reduction in the cost of cultivation per acre and the cost per quintal under ZBNF over non-ZBNF should result in the net income of the ZBNF across all crops. The net income per acre to the farmers is higher from ZBNF for all the five crops considered for the analysis. It is the highest for Tomato under ZBNF i.e. Rs. 130876 per acre as against Rs. 93046 in case of Tomato under non-ZBNF (Table 2.12). Similarly for Bengal gram, the net returns per acre under ZBNF are Rs.22079 as against Rs.18817, followed by Maize (Rs. 18362 as against Rs. 8684), Groundnut (Rs. 14495 and Rs.10282) and Cotton (Rs.11568 and Rs.7957). The highest increase in net income of farmers due to ZBNF is from maize (111 percent) followed by cotton (45 per cent), groundnut and Tomato (41 per cent each) and 17 percent in case of Bengal gram (Table2.13).

Table 2.12: Net Income per acre of Crop cultivation in Andhra Pradesh (Rs)

Crop/Method	ZBNF	Non ZBNF
Maize	18362	8684
Groundnut	14495	10282
Cotton	11568	7957
Bengal gram	22079	18817
Tomato	130876	93046

Table 2.13 Crop wise Increase in the Net Incomes to farmers per acre due to ZBNF

Description of Crops and Net Income	Increase in Net Income per Acre over non-ZBNF(Rs.)	% of increase in income to farmers from ZBNF over non-ZBNF
Maize	9679	111
Groundnut	4213	41
Cotton	3611	45
Tomato	37830	41
Bengal gram	3262	17

Source: Field Survey

Figure 2.5 Costs, Returns per acre of Maize Cultivation - Kharif 2018-19 in A P







Figure 2.6 Costs, Returns per acre of Groundnut Cultivation - Kharif 2018-19 in A P












Figure 2.7 Costs, Returns per acre of Cotton Cultivation – Kharif 2018-19 in A P





2.5 Per Farmer Net Income from Mixed crops, Border and Bund Crops

The study also captured the net income from mixed crops, bund crops and border crops as the main motto of ZBNF is to encourage multiple crops in a piece of land including bund crops to achieve more returns in a given piece of land. In Kharif season, 154 ZBNF sample farmers have grown 28 different mixed crops ranged from 2 to 4 crops in a plot. On the other hand, 68 non-ZBNF sample farmers have also grown 11 different mixtures. On an average, ZBNF farmers

earned a net income of Rs. 18633 per acre from mixed crops as against Rs. 14386 by non-ZBNF farmers (Table 2.14).

Table 2.14: Net Income from Mixed Crops, Border Crops and Bund Crops (Rs)

Type of Crop	ZBNF	Non-ZBNF
Mixed crop income per acre	18633	14386
Bund crop income per farmer	4229	3922
Border crop income per farmer	4019	3695

Source: Field survey

Similarly 39 sample ZBNF farmers have grown bund crops in their main field in Kharif as against 20 non-ZBNF farmers and derived a net income of Rs. 4229 by each farmer under ZBNF method compared to Rs. 3922 by a non-ZBNF farmer. Further, 24 ZBNF farmers have grown border crops and each farmer earned net income of Rs. 4019; while 12 non-ZBNF farmers who have grown border crops earned net income of Rs. 3695 per farmer. Thus, more number of ZBNF farmers adopted mixed cropping, border cropping and bund cropping compared to non-ZBNF and earned more income from these crops compared to their counterparts i.e. non-ZBNF farmers.

CHAPTER 3

Impact of ZBNF on Farming and Farming Community Beyond Costs and Returns

3.0 Introduction

This chapter is an attempt to supplement the analysis conducted in the previous chapter on cost of cultivation, yields and incomes accrued to farmers. The incomes from crops, inter crops, boarder and bund crops are analysed. But the contribution of ZBNF to the continuous flow of incomes throughout agricultural year has not been touched upon; market channels that fetch farmers higher prices for their ZBNF crop outputs to achieve higher incomes; constrains farmers have encountered in using ZBNF inputs to replace chemical inputs; and other benefits accrued to farming and farming community from ZBNF like soil health, quality of crop outputs, resilience of crops to weather variability, health status of consumers of ZBNF crop outputs and respectability for agriculture occupation have not been dealt with in the previous chapter. This analysis presents a larger picture of ZBNF impact on farming and farming community. This chapter is a modest attempt to conduct analysis in this direction.

3.1 Research Questions

In the above backdrop, this chapter addresses to the following research questions:

- i. What are the interventions made under ZBNF to ensure continuous flow of income throughout agricultural year to the farming community?
- ii. How far the ZBNF farmers were able to obtain higher prices for their ZBNF crop outputs?
- iii. What are the constraints encountered by farmers in using ZBNF inputs for crops?
- iv. What are the other benefits, if any, accrued to farmers beyond costs and returns of crops?

3.2 The approach

Changes in land use pattern and cropping pattern have been analysed to address the issues relating to continuous flow of incomes to farmers throughout the agricultural year. Analysis of market channels through which ZBNF farmers have obtain higher prices for their ZBNF crop outputs has been utilised to address the second research question. The experiences farmers in using ZBNF inputs to cut down the use of chemical inputs to zero level has been analysed to capture the constraints farmers have faced in preparation, and procurement of ZBNF inputs. The benefits accrued to farmers in regard to soil fertility, quality of crop output, resilience of crops to weather variability, health status of consumers of ZBNF crop outputs, status of agricultural occupation are also considered for the analysis. All these dimensions of the analysis are captured through household survey of farmers, case studies of farmers, focussed group

discussion with the farmers and the interaction with the District Project Managers (DPMs) of RySS.

3.3 The Analysis

The detailed narrative of the analysis in regard to the each impact parameter of ZBNF is in order.

3.3.1 ZBNF practices to ensure regular income to Farmers

The case studies of farmers spread in the villages across the districts clearly reflect the successful strategies adopted by the RySS in bringing about changes in land use pattern and cropping patterns. It is evident from the case studies that the farmers have adopted mixed cropping, inter-cropping, border cropping, and bund cropping techniques. They have also adopted the 5-layer model and 36*36 Models in growing crops in cultivating different varieties of crops to ensure steady and regular incomes. The farm households could generate additional income from the bund and border crops. The models of crops grown under ZBNF include: i) 18 varieties of leafy vegetables and other vegetables through 5-layer model of cropping in mango orchard as intercrops. ii) Banana with inter-crops like chillies /benda/ vegetables /brinjal/ flowers/ colocasia (chama)/ turmeric/ ginger. iii) multi-season-based horticultural species with different types of leafy vegetables, curry leaves, along with different types of gourds in 36*36 models with 5-layer model, iv) Coffee plantation with dragon fruit, neem trees, orange, munaga, banana, spices, cherry, Jackfruit tress (panasa), tamarind trees, mango, and blue and black berry trees, (neredu) under the 5-layer model. v) 5-layer model of oranges with poly crops; 36*36 model with roots, tubers (radish and onion), Teega Jathulu/ gourds varieties (cucumber, bitter gourd, country beans, ridge gourd, bottle gourd and snake gourd), curry leaves (sorrel leaves, spinach, sorrel leaves, fenugreek leave and amaranthus), leafy vegetables (brinjal, green chilli, tomato, ladies fingers, Indian beans (chikkudukaya) and cluster beans), red-gram and castor, drumstick and curry leaves (curry leaves), fruit bearing crops (guava, mango, papaya, pomegranate, clustered apple, coconut, sweet lime and citrus) trap crops and flowers.

The existing coffee plantations in the hilly areas have been transformed into 5-layer model of growing crops. This experimentation of RySS has ensured continuous flow of income to the tribal farmers. Apart from rotation of crops, border and bund crops have also been raised by these farmers. This practice has ensured considerable income to meet the expense of raising main crops. This has resulted in intensive use of land throughout the year. The case studies clearly show that 5-layer model of growing crops which included fruits and vegetables has ensured continuous flow of income to the farmers. The existing small pieces of land has been

put to use effectively by the farmers under different models of growing crops under ZBNF which also ensured food security and balanced diet for everyone in the village. It is reported that there is increased vegetation in the village due to ZBNF. Keeping in mind the agro-climatic conditions of the region the principle of 5-Layer cropping pattern with a different combination of suitable crops for each layer is recommended for cultivation under ZBNF.

3.3.3 Market channels of farmers to obtain higher prices for ZBNF crop outputs


Marketing is one of the constraints prominently reported by the farmers in the focussed group discussions in all the villages across all the districts. There are some farmers growing crops under ZBNF to meet family consumption. Some other farmers have also shared the ZBNF outputs to friends and relatives, apart from meeting their family consumption requirements. Some other farmers extended their consumers network beyond relatives and friends. Some of the employees of RySS and other consumers from nearby urban areas have procured these products from the fields of the farmers. Farmers have utilised the telephonic communication to book the orders from the consumers. Modern technologies have been utilised by educated farmers to establish market linkages. Rythu bazaars have been used by the farmers to sell their vegetables. Wholesale and retail marketing channels have been utilised by the farmers through their collective institutions. Marketing Melas have been used to reach out consumers in the big towns and cities. Relatives and friends of some of the farmers settled in abroad have been utilised to establish market linkages. But the farmers demanding to link with the Departments of Government These channels are fine to establish market linkages for the food grains. Interestingly the farmers have sold the processed crop outputs rather than the unprocessed outputs. This is due to the realisation that the farmers should also participate in post-production process to get larger share in the value chain. But these channels may not be useful for the commercial crops like cotton and chillies. The corporate sectors are in operation in Guntur to procure these chemical free products grown under ZBNF through local middlemen.

Farmers maintained links with local and external markets in Telangana and Andhra Pradesh to sell their produce. It is observed that supplying to external markets fetched them better prices compared to selling in local markets. For example, one farmer reported that *donda* vegetable fetched him Rs.20/- per kg in the local market but he could sell the same in Hyderabad at Rs.40-50per kg. The farmers faced a number of problems in marketing, including the difficulty in establishing the differentiation of ZBNF products from non-ZBNF products, which ultimately prevents them from claiming a higher price for ZBNF output. One farmer has suggested that certification of ZBNF farm produce is essential for informing the consumers that the produce of

ZBNF is chemical-free. This will be helpful for the farmers in obtaining premium price for ZBNF produce. He has also suggested that the ZBNF farmers to be given ZBNF identity cards for selling ZBNF produce in the Rythu Bazaars. Thus these case studies clearly provide evidence that the farmers can increase their incomes further if proper marketing support is provided by the RYSS.

3.3.2 Constraints for spreading the use of ZBNF inputs

The case studies of farmers clearly show that the use of chemical fertilisers and pesticides in farming has come down to zero level. This is also evident from the household responses on the use of fertilizers in their villages indicating considerable reduction in the fertilizer use though vary from district to district (Figure 3.1 and Table 3.1). If we consider options of "reduced" and "Drastically reduced", 79% of the farmers perceived that the fertilizer consumption in their village reduced due to ZBNF. The use of Beejammurtham, Ghanajeevmrutham, Dravajeevamrutham, various *Kashayams* and Astrams has entered the input combinations of crop growing practices under ZBNF. The inputs of ZBNF are low cost and can be prepared locally by the farmers using the locally available ingredients like local cow dung, cow urine, leaves and other related material. Thus, dependency on the external markets for inputs has come down drastically as the farmers used locally available ingredients for preparing the inputs.



The focussed group discussions have revealed the following on the input preparation/accessing ZBNF inputs.

The dung, urine and dairy products of local cows as ingredients in the preparation of inputs of ZBNF are central to the ZBNF. Hence, availability of local cows is fundamental for ZBNF. The scarcity of local cows as a constraint has been reported in all the villages across the districts. However, farmers have adopted ZBNF despite the scarcity of local cows. This is due to procurement of local cows by some of the farmers and some others have obtained these ingredients from others. Further, some others have obtained these ingredients especially dung and urine from nearby *goshalas* maintained by Temple Authorities. Few farmers have procured local cows which are ready to be deported to slaughterhouses. Some of the districts like north coastal districts and both Godavari districts have tribal areas that have become suppliers of cow dung and cow urine to the farmers in other parts of the district. The farmers located in the Guntur delta villages of low lying areas and areas near to the sea found it difficult to maintain cows because they are far away from nearby towns to sell the milk of cows for deriving income it is also reported by the farmers from the villages of dry land districts like Ananthapuramu that they sell away their cows due to lack of fodder. Hence these type of regions have faced in preparing ZBNF inputs.


It is evident that the family labour use in the growing of crops under ZBNF has increased. This is due to investing more time on the preparation of inputs as well as other operations. Moreover preparation of inputs of ZBNF is time consuming process. It is also further clear that that the farmers have reported they have not adopted ZBNF due to lack family labour as well as hired labour. It is also revealed that hiring human labour for preparation of ZBNF inputs becomes costly because the input preparation may not require day long services and on the other hand they have to pay wages for the day. The farmer households who depend more on non-agricultural activities for their livelihoods look for labour for providing services in the preparation of ZBNF inputs because they get more wages for their labour in the non-agricultural activities and hence they don't want to spend their time on this. On the other hand, the medium and large farmers also look for labour to prepare ZBNF inputs. The implementation of MGNREGS has drawn the labour from the labour market. Hence there is scarcity of labour to prepare the ZBNF inputs. Moreover due to foul smell of ingredients of ZBNF inputs labourers have shown disinterest to offer their services for the preparation of ZBNF inputs. Hence farmers

demanding readymade ZBNF inputs to overcome labour scarcity. They are also demanding that MGNREGS should be linked to ZBNF for facilitating the availability of labour.

The other constraints reported by the farmers include: the knowledge required to prepare *Kashayams* and Astrams to control pest is not imparted to many of the farmers; leaves required to prepare these inputs are not available in some villages and hence farmers are not able to prepare these inputs themselves; readymade ZBNF inputs are available in the markets; and NPM shops are not providing these inputs because they are not available in all the villages and or they are not functioning even though they are in existence in some of the villages.


3.3.4 Other Benefits Accrued to Farming and Farming Community

Health status of land, quality of crop output, resilience of crops to weather variability, empowerment of farmers and respectability towards agriculture are the dimensions considered for assessing the impact of ZBNF on the sustainability of agriculture. The analysis of impact of ZBNF on these parameters is in order. A large proportion of ZBNF practicing farmers have reported that the soil fertility has gone up due to ZBNF. This is true by and large across all the districts (Figure 3.2 and Table 3.2).



The farmers have provided evidence through three parameters namely softening of soils, presence of earthworms, and increased green cover in the fields. It is also clear that the green cover is not as widely present as the other two dimensions of soil fertility. The districts of Rayalaseema region and two south coastal districts (Guntur and Prakasam) have lagged behind in regard to the presence of green cover in the fields of the farmers (Figure 3.3 and Table 3.3). It is reported by one of the farmers that his saline land has been turned into fertile land thanks to

the rejuvenating role of ZBNF. The quality of crop output has improved due to ZBNF (Table 3.4). The farmers have considered three dimensions to reflect the quality of output. They include weight of the grains, strength of stems and taste. Among these dimensions, larger proportions of farmers across the villages of the districts have reported the crop output of ZBNF is very tasty. Between the other two dimensions, higher proportion of farmers has reported that the plants of the crops have stronger stems. The three rainfed districts have performed better in regard to increase in grain weight as well as strength of stems. East Godavari and Prakasam were worse off in regard to both these parameters from South Coastal Andhra region. But in case of Rayalaseema districts, Ananthapuramu has turned out to better performing districts in regard to increase in grain weight as well strength of stems of the plants of the crops grown (Table 3.5).



As to the resilience of crops withstanding to dry spells and wind is concerned, 42 per cent of the farmers reported the crops grown under ZBNF have more resilience to withstand against dry spells and wind. The farmers from all the North Coastal Districts, two Rayalaseema Districts namely Ananthapuramu and Chittoor and only Krishna District from South Coastal Region(with reference to state average) have reported higher resilience of crops to weather variability (Table 3.6).

The prominent contribution ZBNF is to financial empowerment of the farmers. This is evident from the fact that farmers have depended for working capital required to grow crops, in the agricultural reference year, more on their savings accumulated through the cultivation of ZBNF in the previous years (Figure 3.4 and Table 3.7). The most significant contribution of ZBNF is making the people like agricultural profession. Thus the occupation status of agriculture has gone up due the ZBNF in the rural areas of the State of Andhra Pradesh (Table 3.8).




Table 3.1 Farmers Perception on the Consumption of Fertilizer in their Village due to ZBNF (%)

District	Drastically reduced	Reduced	No impact of ZBNF	Not aware
Srikakulam	72.0	20.0	0.0	8.0
Vizianagaram	23.7	38.1	11.3	26.8
Visakhapatnam	22.5	77.6	0.0	0.0
East Godavari	0.0	80.8	1.0	18.2
West Godavari	18.6	39.2	9.8	32.4
Krishna	0.0	94.0	0.0	6.0
Guntur	10.3	21.7	52.6	15.5
Prakasam	31.4	46.5	4.7	17.4
Nellore	1.0	81.0	2.0	16.0
Kadapa	25.3	69.7	5.1	0.0
Kurnool	89.0	1.0	1.0	9.0
Ananthapuramu	27.3	61.6	1.0	10.1
Chittoor	35.9	38.8	7.8	17.5
Andhra Pradesh	27.5	51.6	7.3	13.6

Table 3.2 ZBNF Farmers Reporting enhanced quality of their land due to ZBNF (%)

District	Yes	No	Not aware
Srikakulam	85.9	1.0	13.1
Vizianagaram	85.6	10.3	4.1
Visakhapatnam	98.9	0.0	1.1
East Godavari	69.1	2.1	28.9
West Godavari	89.0	2.0	9.0
Krishna	83.3	1.0	15.6
Guntur	54.7	3.2	42.1
Prakasam	88.0	2.4	9.6
Nellore	73.2	2.1	24.7
Kadapa	94.6	0.0	5.4
Kurnool	87.0	2.0	11.0
Ananthapuramu	79.6	1.0	19.4
Chittoor	91.0	8.0	1.0
Andhra Pradesh	83.0	2.7	14.3

Table 3.3 District wise farmers reporting that ZBNF practices enhanced quality of land (%)

District	Soil softened	Now see more earthworms	Increased green cover
Srikakulam	98.85	97.70	89.66
Vizianagaram	100.00	97.87	94.68
Visakhapatnam	97.98	91.92	78.79
East Godavari	100.00	18.84	60.87
West Godavari	54.95	80.22	65.93
Krishna	84.71	97.65	75.29
Guntur	53.85	80.77	51.92
Prakasam	55.84	79.22	12.99
Nellore	94.87	67.95	56.41
Kadapa	87.37	89.47	16.84
Kurnool	59.55	93.26	56.18
Ananthapuramu	97.59	69.88	36.14
Chittoor	86.27	80.39	33.33
Andhra Pradesh	83.38	81.83	56.49

Table 3.4 District wise farmers reporting the quality of ZBNF Crops and Output compared to Non-ZBNF Crop (%)

District	Grain weight increased	Stronger Stems
Srikakulam	59.00	90.00
Vizianagaram	79.38	83.51
Visakhapatnam	62.89	61.86
East Godavari	29.17	21.88
West Godavari	54.90	73.53
Krishna	37.00	84.00
Guntur	10.71	42.86
Prakasam	9.30	12.79
Nellore	49.00	62.00
Kadapa	66.67	53.54
Kurnool	55.10	44.90
Ananthapuramu	88.24	85.29
Chittoor	78.64	58.25
Andhra Pradesh	53.40	60.44

Table 3.5 Farmers reporting their Experience on the Taste of Crop Output of food crops Produced under ZBNF compared to non-ZBNF crops across the districts (%)

District	Not aware of	ZBNF product	Non-ZBNF product	Unable to judge
District	any difference	is more tasty	is more tasty	the difference
Srikakulam	6.0	90.0	1.0	3.0
Vizianagaram	13.4	70.1	7.2	9.3
Visakhapatnam	2.0	95.0	2.0	1.0
East Godavari	6.1	83.8	0.0	10.1
West Godavari	11.8	78.4	2.0	7.8
Krishna	2.0	95.0	0.0	3.0
Guntur	10.3	49.5	1.0	39.2
Prakasam	5.8	88.4	4.7	1.2
Nellore	11.0	77.0	1.0	11.0
Kadapa	6.1	88.9	1.0	4.0
Kurnool	4.0	77.8	0.0	18.2
Ananthapuramu	25.2	71.8	1.9	1.0
Chittoor	1.9	97.1	0.0	1.0
Andhra Pradesh	8.2	81.8	1.6	8.4

Table 3.6 District wise Distribution of Farmers Reporting Resilience of the Crops to Weather Variability with the ZBNF crops compared to non-ZBNF crops (%)

District	More resistance towards dry spells and or wind		
Srikakulam	61.00		
Vizianagaram	79.38		
Visakhapatnam	62.89		
East Godavari	28.13		
West Godavari	10.78		
Krishna	54.00		
Guntur	40.48		
Prakasam	24.42		
Nellore	16.00		
Kadapa	40.40		
Kurnool	14.29		
Ananthapuramu	50.00		
Chittoor	64.08		
Andhra Pradesh	42.17		

Table 3.7 Distribution of Farmers According to Sources of Working Capital for the Agriculture Operations of ZBNF and Non-ZBNF (%)

Sources of Working Capital	ZBNF	Non-ZBNF
From the savings	71.45	59.96
Sold Assets	9.37	4.98
Barrowed from friends	51.56	59.59
Loan from formal institution	59.86	59.78
Loan from informal institution	18.47	18.08
Others	1.07	1.66

Source: Field survey

Table 3.8 Status of agriculture in the rural Areas

District	% of farmers like farming after adoption of ZBNF
Srikakulam	96.0
Vizianagaram	92.8
Visakhapatnam	100.0
East Godavari	99.0
West Godavari	99.0
Krishna	95.0
Guntur	72.2
Prakasam	100.0
Nellore	98.0
Kadapa	94.9
Kurnool	95.0
Ananthapuramu	98.1
Chittoor	74.8
Andhra Pradesh	93.4

CHAPTER 4

Summary, Conclusions and Policy Implications

4.1 Context

The Government of Andhra Pradesh has introduced Zero Budget Natural Farming (ZBNF) in 2016 as an alternative to chemical-based and capital intensive agriculture, through its implementing agency Rythu Sadhikara Samstha (RySS). The ZBNF is a paradigm shift in agricultural development. The main objective of the ZBNF is to make agriculture economically viable, agrarian livelihoods profitable thereby reduce agrarian distress through cost reduction and sustainable agricultural practices that are climate-resilient. ZBNF aims to reduce cost of cultivation, enhance soil fertility, enhance yields, reduce risks, and protect from uncertainties of climate change by promoting the adoption of an agro-ecology framework. Extension support is led by farmers (including women) through a process of farmer-to-farmer learning. The programme aims to reach all farmers in the state – 6million farmers, including tenants - and stay engaged with them to achieve a 100% chemical-free agriculture by 2024. ZBNF also aims to create the human and social capital necessary for vibrant and inclusive agricultural production. It has passed through three agricultural years of implementation since its inception. RySS thought it is the time to assess the impact of the ZBNF on farming and farming community. Hence the present study is sponsored to assess the impact and to suggest policy inputs to bring improvements in the implementation of ZBNF, if any, required.

4.2. Research Questions

In the above backdrop, the study addresses itself to the following research questions:

- 1. What is the impact of ZBNF on the levels and composition of input use for crops grown?
- 2. How far the input use of ZBNF has contributed to the cost of production of crops?
- 3. How far the ZBNF inputs have impacted yield of crops?
- 4. What is the impact of ZBNF on incomes of farmers?
- 5. How far the ZBNF practices like intercropping, rising of border and bund crops have contributed to farmers' incomes?
- 6. What are the benefits accrued to farming and farmers beyond costs and returns?
- 7. What are the policy implications emerging from the analysis for realising the potential benefits of ZBNF?

4.3. The Methodology

The detailed narration of methodology for assessing the impact of ZBNF is in order.

4.3.1 The Basic Approach

In order to assess the impact of ZBNF, a comparison has been made between ZBNF farmers and non-ZBNF farmers in regard to input use, cost of cultivation, yield of crops, net income to farmers and other impact domains. This evaluation methodology is based on what is known as "with and without" approach. The study has deployed both quantitative and qualitative methods. Listing Survey and Household Survey have been conducted to collect quantitative data from the households. Focussed group discussions and case studies with farmers, and strategic interviews with District Project Managers have been conducted to obtain qualitative data as well.

4.3.2 Parameters considered for assessing impact of ZBNF

ZBNF is expected to have a major impact on farming system and farming community, thanks to its potential in promoting sustainable agricultural livelihoods without degrading natural resources and environment. The inputs of ZBNF like *Beejammurtham*, *Ghanajeevmrutham*, *Dravajeevamrutham*, different *Kashayams* and *Asthrams* prepared with locally available resources can reduce the costs of production of crops as well as improve the health status of soil and crops grown. This is the strategy for improving farm income by stabilizing and increasing crop yields and reducing cost of cultivation and out-of-pocket expenses. Besides, this is likely to enhance farm income by using land continuously but sustainably throughout the agricultural year, raising crops on farm bunds and border areas of cropped area both for protecting main crops from pest attacks as well as for generating a continuous flow of income throughout the agricultural year.

In this backdrop, the parameters considered for assessing the impact of ZBNF include: cost of inputs per acre (biological inputs in case of ZBNF and chemical inputs for non-ZBNF), percentage of cost of inputs in the total cost of production per acre, cost of production per acre, yield in quintals per acre, net income per acre accrued to farmers, income to farmers from intercropping, border and bund crops. The data on yield of crops were collected from farmers as well as through Crop Cutting Experiments (CCEs)

The other parameter considered for assessing the impact of ZBNF on farming include: health status of land, quality of crop output, resilience of crops to weather variability, financial empowerment of farmers and respectability towards agriculture. Softening of soils, presence of earthworms and green cover in the fields are considered to measure soil health. Weight of the

grains, strength of stems and taste are measured to characterise quality of output. Resilience of crops withstanding to dry spells and wind is used to assess the resilience of crops to weather variability. The prominent contribution ZBNF is to financial empowerment of the farmers. This is measured through dependency for working capital required to grow crops in the agricultural reference year, more on their savings accumulated through the cultivation of ZBNF in the previous years. Respectability towards agricultural occupation is assessed in terms of liking agricultural occupation due to ZBNF.

4.3.3 Sample Design

The study has covered all the districts of Andhra Pradesh. It is conducted in the villages where there are at least 10 seed to seed farmers of ZBNF and where the farmers have grown at least one major crop of the district. Ten villages from each district are randomly selected. Thus 130 villages in total are selected from the state. A Listing Survey has been conducted to cover all the households in the village to generate a sample framework for selecting the farmers for household survey. Stratified random sampling method is adopted to select the farmers belonging to pure tenant farmers, marginal farmers, and small farmers and other farmers (semi-medium, medium and large farmers) from the sample frame generated from the Listing Survey conducted in all the sample villages. Ten ZBNF farmers randomly selected from each category of farmers. Similarly, ten non-ZBNF farmers from each village are selected randomly. Thus 1300 ZBNF farmers and 1300 non-ZBNF farmers, in total 2600 farmers, are selected for Kharif season.

4.3.4 Data Base

A detailed household questionnaire has been administrated across all the sample farmer households to collect the data on the impact parameters mentioned above. Qualitative data has been collected through case studies of farmers, focussed group discussions with farmers and strategic interviews with the District Project Managers (DPMs). This data enabled to examine the research questions like interventions made under ZBNF to ensure continuous flow of income throughout agricultural year to the farming community, market channels opted by the farmers to get higher prices for ZBNF crop outputs, and constraints encountered by farmers in using ZBNF inputs for crops.

4.4. Major Finding

The major findings of the analysis are in order.

Costs and Returns of crops and ZBNF

The cost of biological inputs of ZBNF is lower than that of chemical inputs per acre across all the crops, viz., Paddy, Maize, Groundnut, Cotton, Tomato and Bengal gram. The share of cost of these inputs is lower than of chemical inputs in the total cost per acre across all the crops. Moreover, the cost of cultivation per acre is lower for ZBNF over non-ZBNF for all the crops. It is striking to note that the yield response to biological inputs is higher than to the chemical inputs. The traditional argument against the alternative agricultural models to chemical based agriculture is that the yield of crops under the alternate models is lower than those under chemical. But the experience of ZBNF is contrary to this hypothesis. As a matter of fact there are no significant differences between the yields of ZBNF and non-ZBNF across all the crops. Hence there would not be any threat of food insecurity from ZBNF to the society at large. The higher yields for lower levels of use of ZBNF inputs have brought down considerable reduction in the cost of production per quintal of output across all the crops. This has resulted in higher incomes to farmers from crops. Inter crops, border and bund crops have also contributed to the improvement in the incomes of ZBNF farmers. The shift to 5-layer models of growing crops under ZBNF has ensured continuous flow of incomes to farmers throughout the agricultural year. This model even on small piece of land holding has provided food security to households. However, there are variation in regard to the performance parameters of ZBNF across geographical regions and crops. The performance of paddy in delta district is not impressive over that in the non-delta districts. But the yields of paddy under ZBNF has increased overtime, this is evident from the data analysed. The high value crops grown like Cotton and Tomato under non-flood irrigation practices have performed extremely well. The analysis has shown that the farmers have used biological inputs independent of their required levels across the districts.

Beyond Costs and Returns of crops

There are benefits beyond costs and returns of crops those accrued to the farmers and farming community. They are in order. A large proportion of ZBNF practicing farmers have reported that the soil fertility has gone up due to ZBNF. This true by and large across all the districts. Farmers have provided evidence through three parameters namely softening of soils, presence of earthworms, and increased green cover in the fields. It is also clear that the green cover is not as widely present as the other two dimensions of soil fertility. Further, farmers have considered three dimensions to reflect the quality of output. They include weight of the grains, strength of stems and taste of output. Among these dimensions, larger proportions of farmers across the villages of the districts have reported that the crop output of ZBNF is very tasty. Between the other two dimensions, higher proportion of farmers have reported that the plants of the crops

have stronger stems. As to the resilience of crops withstanding to dry spells and wind is concerned, 42 per cent of the farmers have reported that the crops grown under ZBNF have more resilience to withstand against dry spells and wind. The prominent contribution ZBNF is to financial empowerment of the farmers. This is evident from the fact that farmers have depended for working capital required to grow crops, in the agricultural reference year, more on their savings accumulated through the cultivation of ZBNF in the previous years. The most significant contribution of ZBNF is making the people like agricultural profession. Thus the occupation status of agriculture has gone up due to the ZBNF in the rural areas of the State of Andhra Pradesh.

Policy Implications

Broadly there are three major challenges (3Cs) those need to be addressed .They are as below:

- Apart from scarcity of local cows and scarcity of human labour, the other constraints reported by the farmers in regard to ZBNF inputs include: the knowledge required to prepare *Kashayams* and *Asthrams* to control pest is not imparted to many of the farmers; leaves required to prepare these inputs are not available in some villages and hence farmers are not able to prepare these inputs themselves; readymade ZBNF inputs are not available in the markets; and NPM shops are not providing these inputs because they are not available in all the villages and or they are not functioning even though they are in existence in some of the villages. The spread of the use of ZBNF inputs is a greater challenge under these constraints.
- The case studies clearly reveal that the farmers can increase their incomes further if proper marketing support is provided by the RySS. Household survey has clearly show that farmers constrained mainly due to lack proper marketing support.
- The principle of 5-Layer cropping pattern with a different combination of suitable crops for each layer is recommended for cultivation under ZBNF keeping in mind the agro climatic conditions of the regions to ensure regular flow of income throughout the agricultural year. The replication of these models on wider scale wherever suitable across the farmers needs government support.

The promotion of farmers' collectives of male and female can play a greater role in addressing the three challenges (3Cs) in more effective way to realise the potential benefits of ZBNF. This collectives can effectively negotiate with the staff of RySS at village, mandal and district levels as well as with the marketing channels to market their ZBNF products.